


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

Anderson-Prichard Production Corporation

Hobbs, N.M.

Company or Operator

Address

H.M. Britt

Well No. 4

in C NW NE

of Sec. 7

T. 20S

Lease

R. 37E

N. M. P. M.

Monument

Field,

Lea

County.

Well is 660 feet south of the North line and 1980 feet west of the East line of Sec 7-20S-37E

If State land the oil and gas lease is No.

Assignment No.

If patented land the owner is

Address

If Government land the permittee is H.M. Britt

Address

The Lessee is

Address

Drilling commenced 5-29

19 36

Drilling was completed 7-14

19 36

Name of drilling contractor Herschback Drilling Co., Address Dallas, Texas.

Elevation above sea level at top of casing 3565 feet.

The information given is to be kept confidential until

19

OIL SANDS OR ZONES

No. 1, from 3811

to

3877

No. 4, from

to

No. 2, from

to

No. 5, from

to

No. 3, from

to

No. 6, from

to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from

to

feet.

No. 2, from

to

feet.

No. 3, from

to

feet.

No. 4, from

to

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
13"	40#	8	LW	248	none				
9-5/8"	40#	8	Smls	2473	Baker				
7"	24#	10	do	3810	HOWCCo				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17"	13"	245	250	HOWCCo	10#	hole full
12"	9-5/8"	2473	600	do	10#	do
8-1/4"	7"	3810	307	do	10#	do

PLUGS AND ADAPTERS

Heaving plug—Material

Length

Depth Set

Adapters—Material

Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing 7-17, 19 36

The production of the first 24 hours was 193 barrels of fluid of which 100 % was oil; 0 %

emulsion; 0 % water; and 0 % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

W.T. Cooper

Driller

B.E. O'Neal

Driller

T.M. Boice

Driller

Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this

day of 19

Notary Public

My Commission expires

Place

Date

Name

Position

Representing

Company or Operator

Address

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	44	44	Caliche and sand
44	115	71	Gravel and shells
115	250	135	Redbeds and shells
250	565	315	Shale and redrock
565	640	75	Redrock and sand shells
640	700	60	Redbeds and sand shells
700	765	65	Redbeds and shells
765	890	125	Redrock
890	973	83	Redbeds
973	1010	37	Shale and shells
1010	1055	45	Anhydrite
1055	1107	52	Broken anhydrite
1107	1124	17	Anhydrite
1124	1360	236	Salt
1360	1417	57	Salt and anhydrite
1417	1573	156	Salt and broken anhydrite
1573	1982	409	Salt
1982	2105	123	Salt and anhydrite shells
2105	2245	140	Salt and shells
2245	2267	22	Salt and broken anhydrite
2267	2394	127	Broken anhydrite
2394	2428	34	Anhydrite and lime
2428	2453	25	Lime - show of gas
2453	2483	30	Broken anhydrite and lime shells
2483	2547	64	Anhydrite
2547	2567	20	Broken anhydrite and lime
2567	2642	75	Brown lime
2642	2853	211	Lime - show of gas
2853	2892	39	Broken lime
2892	2920	28	Lime
2920	2934	14	Broken lime
2934	3005	71	Lime
3005	3030	25	Broken lime
3030	3113	83	Lime
3113	3193	80	Lime
3193	3294	101	Broken lime
3294	3877	583	Lime
3877			TOTAL DEPTH