

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
811 South First, Artesia, NM 87210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised March 25, 1999

OIL CONSERVATION DIVISION  
2040 South Pacheco  
Santa Fe, NM 87505

WELL API NO. 30-025-06017
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name:  Eunice Monument-Eumont (EME)
8. Well No. <del>8</del> -8
9. Pool name or Wildcat SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other SWD Well	
2. Name of Operator RICE OPERATING COMPANY	
3. Address of Operator 122 W. TAYLOR, HOBBS, NM 88240	
4. Well Location  Unit Letter <u>G</u> : <u>1980</u> feet from the <u>NORTH</u> line and <u>2310</u> feet from the <u>EAST</u> line  Section <u>8</u> Township <u>20S</u> Range <u>37E</u> NMPM LEA County	
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3549' GL; 3562' KB	

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST / CEMENT JOB ☐  
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

INSTALL INJECTION PACKER PURSUANT TO NM UIC LETTER 12-01-99:

Rig up on well, pull 5 1/2" tubing OOH.  
Tag for fill, mill from 3570' to 4852'. Pushed short fish (8-12') down to 4852'.  
Shut down to wait on reconditioning of pipe.  
GIH w/Weatherford Casing Packer, 15 jts 3 1/2" DuOline, 120 jts 5 1/2" DuOline tbg w/new collars.  
Set packer @ 4200' in 25 points compression.  
Pumped packer fluid (5% mixture fresh water and Champion Cortron R-2264) and loaded annulus.  
Pressured to 500 psi, then bled down to 340 psi for the MIT.  
Ran chart for NMOCD rep Johnny Robinson who approved the MIT and took possession of the original chart.  
Returned well to disposal activity.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Carolyn Doran Haynes TITLE OPERATIONS ENGINEER DATE 9/27/00

Type or print name CAROLYN DORAN HAYNES

Telephone No. 505-393-9174

(This space for State use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE OCT 2 2000  
Conditions of approval, if any:

# EME SWD Well G-8

17 1/2" hole  
475 sx

T/Anhydrite 1080'

B/Salt 2260'  
T/Yates 2420'


12 1/4" hole  
circulated  
1600 sx

T/Queen 3070'

500 sx  
DV Tool @ 3553'  
235 sx

8 3/4" hole

T/Glorieta 5080'  
T/Blinebry 5660'



KB 3562  
GL 3549'

13 3/8" 48#  
csg @ 463'

1980' FNL & 2310' FEL  
SEC 8- 20S 37E

API # 30-025-06017

Casing annulus filled with Champion PKR FLD

120 jts 5 1/2" DuOline Tbg  
15 jts 3 1/2" DuOline Tbg

9 5/8" 36# CSG @ 2900'

TOC @ ?

7" Weatherford PKR @ 4200'

Lower San Andres Perfs:

4300-80  
4445-70  
4553-61  
4740-60  
4780-4800  
4822-4852

PBTD @ 4958'  
CIBP @ 5010'

7" 20 & 23# CSG @ 5709'

TD @ 5710'

Drawn	By
9/27/00	CDH

**RICE OPERATING COMPANY**  
122 WEST TAYLOR  
HOBBS, NM 88240

**EME G-8**  
1980' FNL & 2310' FEL  
SEC 8- 20S 37E  
LEA COUNTY, NM

