

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	WELL API NO. 30-025-06031
2. Name of Operator Texaco Exploration & Production, Inc.	5. Indicate Type of Lease STATE ☐ FEE ☒
3. Address of Operator P. O. Box 3109, Midland, TX 79702	6. State Oil & Gas Lease No.
4. Well Location Unit Letter <u>J</u> : 2173 feet from the <u>South</u> line and 2173 feet from the <u>East</u> line Section <u>8</u> Township <u>20S</u> Range <u>37E</u> NMPML <u>Lea</u> County	7. Lease Name or Unit Agreement Name: T. Anderson
10. Elevation (Show whether DR, RKB, RT, GR, etc.)	8. Well No. 3
	9. Pool name or Wildcat Monument Blinebry

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.


1. Set 4 1/2" CIBP in Liner @ 5550', Spot 25 Sx plug 5550'-5350' (Blinebry) WOC Tag.
2. Displace hole w/MLF, 9.5# Brine w/25# gel P/BBL.
3. Spot 25 Sx plug 5075'-4900' (TOL)
4. Spot 40 Sx plug 3800'-3600' (Queen)
5. Cut 7" Csg @ 2950', L/D Csg.
6. Spot 100 Sx plug 3000'-2600' (Stub, 8 5/8" shoe, Yates, B-Salt) WOC Tag
7. Spot 60 Sx plug 1400'-1200' (T-Salt) WOC Tag.
8. Spot 60 Sx plug 675'-475' (13 3/8" shoe) WOC Tag.
9. 10 Sx Surf, install dry hole marker.

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James T. Corbitt TITLE FACILITY ENGINEER DATE 10/16/01
Type or print name JAMES T. CORBITT Telephone No. 688-4438
(This space for State use)

APPROVED BY _____ TITLE _____ DATE 2001
Conditions of approval, if any:



(3 STRING CSNG)

OPERATOR TEXACO EXPLORATION & PRODUCTION

LEASENAME T. ANDERSON


WELL # 3

SECT 8 TWN 20-S RNG 37-E

FROM 2173 NISL 2173 EWL

TD: 5746 FORMATION @ TD Paddock-Blinebury

PBTD: FORMATION @ PBTD BYERS QUEEN



4 1/2
5029 - 5743

Tốc độ

TD 5746

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	13 3/8	613	SURF	CIRC	
INTMED 1	85/8	2899	SURF	CIRC	
INTMED 2	7	5252	3160	TS	
PROD					
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1	5029	5743	5743		CIRC
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	3676 - 3754	
INTMED 2	2950		OPENHOLE	-	
PROD					

*** REQUIRED PLUGS DISTRICT I**

RUSTLER (ANHYD)	
YATES	
QUEEN	
GRAYBURG	
SAN ANDRES	
CAPTAN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BRUSHY CANYON	
BONE SPRING	
GLORIETA	
BLINEBRY	
TUBB	
DRINKARD	
ABO	
WC	
PENN	
STRAWN	
ATOKA	
MORROW	
MISS	
DEVONIAN	

[illegible]