

NEW MEXICO STATE LAND COMMISSION


Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. **C. G. Staley**, State Geologist, **Casper, Wyoming**, **1930** **9-5-** **1930**

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as **10 S 38 E** Well No. **26** in **SW 1/4** of Sec. **4** T. **10 N**, R. **38 E**, N. M. P. M., **Hobbs** Oil Field **Lea** County



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is **660** feet **(N.)** of **South** line and **660** feet **(E.)** of **East** line of **SW 1/4** of Sec. **4**

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____
Assignment No. _____

If patented land the owner is _____
Address _____

The lessee is _____ Address _____

The elevation of the derrick floor above sea level is _____ feet. We propose to drill well with No. _____

Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
10-3/4"	70#	New Seamless	250' Conductor	Will set and Cement.
8-5/8"	45.50#	" "	2850'	Cemented
8-5/8"	36#	" "	3950'	Cemented

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **3950'** feet.

Additional information:

The **250'** of conductor will be spudded by cable tool method. Will drill rotary from this point (**250'**) thru the first gas in the line at about **2850'**, cementing below this gas back thru the salt bed. Will complete by cable tool method, setting the **8-5/8"** casing on top of the pay at approximately **3950'**, cementing with **50 sacks**.

Sincerely yours,

Approved **9/8 30**, 19**30**

The Midwest Refining Company

Except as follows:

Company or Operator.

85/8 casing at 3950 must be cemented with 200 sacks cement.

Position **General Supt. Producing Dept.**
Send communication regarding well to

State Geologist or Oil and Gas Inspector.

Name _____

Address _____

J. L. Haller