NMOCC (3)-NMSLO-W/B

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

REPORT ON BEGINNING DRILLING OPERA-	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWI ALTERING CASING	SE
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL		
3-30-48	Midland, Texa	9.6 ace
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen:		
Following is a report on the work done and the results obta	ined under the heading noted above at the	
The Texas Company's H. D. McKinl	Well No	in
Company or Operator SEL SEL of Sec. 5	Lease T 10_S R 38_E	. N. M. P.
Hobbs Field, Les	, 1	Cour
HODDS Field, Long Role		
The dates of this work were as follows: See Belc Notice of intention to do the work was (************************************	2.25	1
TD: 4110 Limest and cemented 4098 (127 jts) 51"	casing at 4109 with 150 sa	100
TD: 4110 Lime	casing at 4109 with 150 sature survey. Top cement 3: holes. Cemented with 118	4 sacks
TD: 4110 Limest and cemented 4098 (127 jts) 51 leted 7:20 AM 3-25-46. Ran tempers erforated casing @ 3090 with 2 - 1 leted 9:30 PM 3-25-48.	casing at 4109 with 150 salture survey. Top cement 3: holes. Cemented with 118.7-48. Tested perforations to 4095.	4 sacks
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-48. Ran tempers erforated casing @ 3090 with 2 - 1" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-27 ith 1200# OK. Drilled out cement in Witnessed by Name Subscribed and sworn before me this	casing at 4109 with 150 salture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatic strue and correct.	4 sacks at 3090
TD: 4110 Limes and cemented 4098 (127 jts) 52" leted 7:20 AM 3-25-48. Ran tempers arforated casing @ 3090 with 2 - 2" completed 9:30 PM 3-25-48. Commenced drilling plug 9:30 PM 3-27 ith 1200# OK. Drilled out cement witnessed by Name	casing at 4109 with 150 salture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name	4 sacks at 3090
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-48. Ran tempers erforated casing @ 3090 with 2 - 1" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-27 ith 1200# OK. Drilled out cement Witnessed by Name Subscribed and sworn before me this 31st day of March 19 48	casing at 4109 with 150 salture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name Position Dist. Supt.	4 sacks at 3090 Title ion given al
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-46. Ran tempers erforated casing @ 3090 with 2 - 1" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-2" ith 1200# OK. Drilled out cement to Witnessed by Name Subscribed and sworn before me this	casing at 4109 with 150 salture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name	4 sacks at 3090 Title ion given ak
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-48. Ran tempers erforated casing @ 3090 with 2 - 1" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-27 ith 1200# OK. Drilled out cement Witnessed by Name Subscribed and sworn before me this 31st day of March 19 48	casing at 4109 with 150 saluture survey. Top cement 3. holes. Cemented with 118.7-48. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name Position Dist. Supt. Representing The Texas Company	4 sacks at 3090 Title ion given ak
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-48. Ran tempers erforated casing @ 3090 with 2 - 2" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-2" ith 1200# OK. Drilled out cement Witnessed by Name Subscribed and sworn before me this 31st day of March 19 48 My commission expires June 1, 1949	casing at 4109 with 150 salture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name Position Dist. Supt. Representing The Texas Company Company or Operator	Title ion given al
TD: 4110 Lime et and cemented 4098 (127 jts) 51" leted 7:20 AM 3-25-48. Ran tempers erforated casing @ 3090 with 2 - 2" completed 9:30 PM 3-25-48. commenced drilling plug 9:30 PM 3-2" ith 1200# OK. Drilled out cement Witnessed by Name Subscribed and sworn before me this 31st day of March 19 48 March 19 48	casing at 4109 with 150 saluture survey. Top cement 3 holes. Cemented with 118 holes. Tested perforations to 4095. Company I hereby swear or affirm that the informatis true and correct. Name Position Dist. Supt. Representing The Texas Compan Company or Operator Address Box 1270, Midland,	Title

CALEBOOK OF THE STREET WORLD CONTROL OF STREET WAS BUILDING

1 × 1 × 2 × 1