

F MEXICO STATE LAND OFF.


Santa Fe, New Mexico

DEPARTMENT OF THE STATE GEOLOGIST
NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. E. H. Wells, State Geologist. Denver, Colorado Mexico, Oct. 24, 1931

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as E. H. and M. Byers Well No. 8 in NE 1/4 of Sec. 6 T. 19 N, R. 28 E, N. M. P. M., Hobbs Oil Field Lee County



AREA 640 ACRES
LOCATE WELL CORRECTLY

The well is 640 feet (N) of North line and 640 feet (E.)

(W) of West line of NE 1/4 of Section
(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____
Assignment No. _____

If patented land the owner is E. H. & M. Byers

Address Hobbs

The lessee is _____ Address _____

The elevation of the derrick floor above sea level is 3630.6 feet. We propose to drill well with No. _____

Make of Drill _____

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
250 16"	70#	New Lapweld	250'	Set and Cement
10-3/4"	45.50#	New Seamless	2350'	Set and Cement
8-5/8"	36#	New Seamless		Set and Cement on top of Pay

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about _____ feet.

Additional information: Will spud by cable tool method, setting and cementing approximately 200' 16" conductor. Will drill by rotary method from this point thru the Salt Beds into the Lime, setting and cementing 10-3/4" 45.50# Seamless casing at approximately 2350', cementing this string back thru the Salt Bed. Will complete by rotary method setting and cementing 8-5/8" 36# Seamless casing on top of pay at approximately 4000'.

Sincerely yours,

Approved Oct 31, 1931

Except as follows:

The Midwest Refining Company

Company or Operator.

By G. H. Jacques

Position V. P. -- Operations

Send communication regarding well to

Name C. G. Scott--Hobbs

Address G. H. Jacques--Denver

State Geologist or Oil and Gas Inspector.

T. A. Stanley