

NEW MEXICO STATE LAND OFFICE

Santa Fe, New Mexico


DEPARTMENT OF THE STATE GEOLOGIST

NOTICE OF INTENTION TO DRILL NEW WELL

Notice must be given to the State Geologist or to the proper Oil and Gas Inspector and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval.

Mr. **B. L. Halley**, State Geologist. **Denver, Colo.** ~~Noted~~, **12-11-30** 19**31**

Dear Sir: You are hereby notified that it is our intention to commence the drilling of a well to be known as **H. H. & O. B. Terry** Well No. **8** in **NW $\frac{1}{4}$** of Sec. **9** T. **19 S**, R. **38 E**, N. M. P. M., **Hobbs** Oil Field **Lea** County



AREA 640 ACRES

LOCATE WELL CORRECTLY

The well is **660** feet ~~XXXX~~ (S.) of **North** line and **660** feet (E.)

~~XXX~~ of **West** line of **NW $\frac{1}{4}$** of **Section**

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is **H. H. & O. B. Terry**

Address _____

The lessee is _____ Address _____

The elevation of the derrick floor above sea level is _____ feet. We propose to drill well with No. _____

Make of Drill

We propose to use the following strings of casing and to land or cement them as indicated.

Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented
16"	70#	New Conductor	200' Approx.	Set and Cement
10-3/4"	45.50	New Seamless	2300' "	Set in lime and cementing back thru Salt Beds
8-5/8"	36#	New Seamless	4100' "	Set and Cement with 75 Sacks.

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about **4200'** feet.

Additional information: Will drill well with the intention of encoutering commercial oil at approximately 4200'. Will spud by cable tool method, setting and cementing approximately 200' new Conductor. Will drill by rotary method into the lime, setting the 10-3/4" casing at this point, cementing back thru the Salt Beds. Will complete hole by cable tool method, setting and cementing 8-5/8" casing with 75 sacks. All work to be done in accordance with best oil field practice and conforming to the oil and gas regulations of the State of New Mexico.

Sincerely yours,

Approved **James J. Sullivan**, 19**31**

Except as follows:

The Midwest Refining Company

Company or Operator.

By **G. H. Jaques**

Position **Vice President--Operations**

Send communication regarding well to

Name **G. H. Jaques, Denver, Colo.** 1 Approved copy

Address **G. G. Scott, Hobbs, N.M.** 1 approved copy

State Geologist or Oil and Gas Inspector.

James J. Sullivan