

L CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

3a. Indicate Type of Lease
State ☐ Fee ☒
3. State Oil & Gas Lease No.

<p>SUNDARY NOTICES AND REPORTS ON WELLS DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.</p>	
1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Water Injection	7. Unit Agreement Name
2. Name of Operator AMOCO PRODUCTION COMPANY	8. Farm or Lease Name South Hobbs (GSA) Unit
3. Address of Operator P.O. Box 4072, Odessa, Texas 79760	9. Well No. 63
4. Location of Well UNIT LETTER C 660 FEET FROM THE North LINE AND 1980 FEET FROM THE West LINE, SECTION 9 TOWNSHIP 19-S RANGE 38-E NMPM.	10. Field and Pool, or Wildcat Hobbs GSA
11. Elevation (Show whether DF, RT, GR, etc.) 3602 DF	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPER. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

Propose to cement squeeze Zone I of water injection. MI and RUSU and pull injection equipment. RIH with bit, clean out to 4215'. RIH with CIBP, set at 4131. RIH with cement retainer, set at 4090. Establish injection rate with water. Cement perforations 4111-4126 with 275 sacks Class C cement. WOC 18 hours. Drill and clean out to 4200'. Cap with Class C cement to 4190'. Run injection equipment, set packer at 3930'. RD and MOSU.

Verbal approval received from Evelyn Downs 04-15-88.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

Signed Or. M. Mitchell TITLE Sr. Admin. Analyst DATE 04-19-88

Approved by Paul Kautz TITLE Geologist DATE
CONDITIONS OF APPROVAL, IF ANY: