


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.



AREA 640 ACRES
LOCATE WELL CORRECTLY

Ralph Lowe

Box 832

Midland, Texas

Company or Operator **Frank Selman** Well No. **1** in **SW 1/4 SW 1/4** of Sec. **11**, T. **19 S**, R. **38 E**, N. **North**, Lease **Wildcat** Field, **east**, Lea **West** County, **660**, **XXXX**, **740**, **XXX**, **XXX** Section **11**
Well is _____ feet south of the North line and _____ feet west of the East line of _____
If State land the oil and gas lease is No. _____ Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced **4-2** 19 **49** Drilling was completed **6-8** 19 **49**
Name of drilling contractor **Ralph Lowe** Address **Midland, Texas**
Elevation above sea level at top of casing **3614** feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from **7500** to **7645** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
No. 1, from **8002** to **8104** feet. **7710' sulphur water D.P.**
No. 2, from **8110** to **8220** feet. **5300' sulphur water in D.P.**
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10 3/4	32.75	8 rd thd		319'	Halliburton Guide	Shoe			
7 5/8	26			3350'	Halliburton Guide	Shoe			
5 1/2"	15.50 & 17			7750'	Halliburton Float	Shoe & collar			
						7500	7578		
						7592	7645		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2	10 3/4	319	175	Halliburton		
9 7/8	7 5/8	3350	600	Halliburton		
6 3/4	5 1/2	7750	100	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		acid	2000	6-16	7500 - 7645	
		acid	5000	6-20	7592 - 7645	
		acid	1500	6-23	7500 - 7578	
		acid	1200	6-24	7500 - 7578	
		acid	12000	6-26	7500 - 7578	

Results of shooting or chemical treatment
Swabbed 1/2 bbl. per hour

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **8548'** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **Dry**, 19 _____
The production of the first 24 hours was **none** barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, Be. _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

O. O. Moon Driller **Carl Hestetter** Driller
Tom Baxter Driller _____ Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **6th**

Midland, Texas

7-6-49

day of **July**, 19 **49**

Name **John H. Mitchell** Date _____

Position **Agent**

Representing **Ralph Lowe**

Address **Midland, Texas**

My Commission expires **6-1-51**

Notary Public

Lillie Mae Stovall

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	159		Caliche & surface sand
159	355		Red bed & red rock
355	1405		Red Rock
1405 -	1647		Red rock, gyp & anhy. shells
1647	1700		Red beds & shells
1700	1733		Anhydrite
1733	1837		Broken anhydrite
1837	1875		Anhy & gyp
1875	1960		Anhy & salt
1960	2408		Salt
2408	2920		Salt & shells
2920	3035		Anhydrite
3035	3159		Anhy. & gyp
3159	3284		Anhydrite
3284	3350		Anhydrite & shells & sand
3350	3469		Sandy lime & anhydrite
3469	3916		Lime
3916	4010		Chalky lime & sand
4010	4210		Lime
4210	4271		Lime & sand
4271	4475		Lime
4475	4625		Lime & sand
4625	7856		Lime
7856	7905		Lime, dolomite & chert
7905	8548		Lime T. D.