

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

FEB 2 1950

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work begins. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Hobbs, New Mexico February 2, 1950

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Stanolind Oil & Gas Company Will Terry Well No. 1 in SW/4
Company or Operator Lease
of Sec. 26, T. -19-S, R. -38-E, N. M. P. M., Wildcat Field.
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

No commercial production is present in the subject well;
therefore, the following procedure is proposed for permanent abandonment.

An attempt will be made to recover the uncemented ^{portion - of} 7-7/8"
intermediate casing.

Cement plugs will be spotted as follows in order to
isolate the salt section and all fluid-bearing zones:

9550-9670' T.D.	50 sacks
7800-7900'	25 sacks
7000-7100'	50 sacks
5000-5100'	25 sacks

FEB 2 1950

(over)

Approved _____, 19____
except as follows:

STANOLIND OIL AND GAS COMPANY

Company or Operator

By Ralph L. Hendrickson
Position FIELD SUPERINTENDENT

Send communications regarding well to

Name Ralph L. HendricksonAddress P. O. Box "F"Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By Roy Yackborough
Title SALT GAS INSPECTOR


Thirty sack cement plug in bottom of 7-7/8" casing; 30 sack cement plug in top of 7-7/8" casing stub; 30 sack cement plug at top of salt section; 30 sack cement plug at top of 10-3/4" surface casing.

After plugging, a 4" marker will be erected extending 5' above the ground in accordance with New Mexico Oil Conservation Commission regulations.

NEW MEXICO OIL CONSERVATION COMMISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES



Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	
NOTICE OF INTENTION TO DEEPEN WELL	<input checked="" type="checkbox"/>		

Hobbs, New Mexico

Place

December 29, 1949

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico.

Gentlemen:

Following is a notice of intention to do certain work as described below at the _____

Stanolind Oil and Gas Company Will Terry Well No. 1 in SW/4
Company or Operator Lease
of Sec. 26, T. 19-S, R. 38-E, N. M. P. M., Wildcat Field.
Lee County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

We propose to deepen the above well with rotary tools from the present total depth of 8205' to approximately 9600' to test the Simpson formation.

The following casing was set by the former operator, C. L. Norsworthy, Jr:

296' of 10-3/4" casing set at 296' and cemented with 200 sacks;
3519' of 7-5/8" casing set at 3519' and cemented with 1200 sacks.

We propose to run 7400' of 5-1/2" 17# J-55, and 2200' of 5-1/2" 17# H-40 casing in a 6-3/4" hole, set at 9600', and cement with 800 sacks to be used as oil string.

Approved _____, 19____
except as follows: DEC 30 1949

Stanolind Oil and Gas Company

Company or Operator

By [Signature]

Position Production Foreman
Send communications regarding well to

Name H. W. Herndon

Address Box F

Hobbs, New Mexico

OIL CONSERVATION COMMISSION,

By [Signature]

Title _____

THEORY OF THE EARTH

The theory of the earth is a branch of geology which deals with the origin and development of the earth and its various parts. It is a science which seeks to explain the processes which have shaped the earth and its features. The theory of the earth is based on the study of the earth's history and its various parts. It is a science which seeks to explain the processes which have shaped the earth and its features. The theory of the earth is based on the study of the earth's history and its various parts. It is a science which seeks to explain the processes which have shaped the earth and its features.

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

24

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH

THEORY OF THE EARTH