

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

| The second is a second in the | ES AND REPORTS ON WELLS |
|--|---|
| THE TOTAL TO CHANGE MANY | TOUCHUL REPORT OF WALLEY |
| TOTICE OF INTENTION TO TEST WATER STATE | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |
| I WE TO SEE THE SEE TH | TO TO THE REPORT OF A TOTAL |
| I SHOOT OF ASSESSED | REPORT OF RE-DPULLING |
| I OP AT THE T | REPORT OF ARANDONA |
| NOTICE OF INTENTION TO ABANDON WELL | SUPPLEMENTARY WELL HISTORY |
| | |
| Retcher #An | K MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) |
| - | October 9, 195 |
| ell No is located 1960 ft. | from S line and 1980 ft. from E line of sec. 27 |
| SE/A Section 22 | [S] inte and 1980 ft. from W line of sec. 27 |
| (Twn) | (Ranga) |
| The state of the s | (Range) (Meridian) |
| (Field) (Cot | unty or Subdivision) |
| e elevation of the derrick floor above sea | (State or Territory) |
| | |
| e names of and expected depths to objective sands; show | William W. L. |
| ing points, and | FAILS OF WORK ** sizes, weights, and lengths of proposed casings; indicate mudding jobs, cement all other important proposed work) |
| Landari 10 3/1 4 | Jone, cement |
| asing land the saving in 12 | inch hole at 705 feet in Red Shale. |
| 12:05 A. H. 10-9-57 | 7. Orilled shead 8 hours with no |
| -44 ap. | mours with no |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| lerstand that this plan of work must receive approval in | n writing by the Geological Survey before operations may be commenced. |

Address

By

Title places Production Separation Separations

U. S. GOVERNMENT PRINTING OFFICE 16—8437-6