

to Appropriate District Office
Amended
 DISTRICT I
 P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
 P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
 1000 Rio Brazos Rd., Aztec, NM 87410

CONSERVATION DIVISION
 P.O. Box 2088
 Santa Fe, New Mexico 87504-2088

WELL API NO.

5. Indicate Type of Lease
 STATE FEE

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Cooper "A"

8. Well No. 1

9. Pool name or Wildcat
 Eunice Monument (G/SA)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM G-101) FOR SUCH PROPOSALS.)

1. Type of Well:
 OIL WELL GAS WELL OTHER

2. Name of Operator
 SHELL WESTERN E & P INC. (4431 WCK)

3. Address of Operator
 P.O. BOX 576, Houston, TX 77001-0576

4. Well Location
 Unit Letter B : 330 Feet From The North Line and 2310 Feet From The East Line
 Section 4 Township 20-S Range 37-E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)
 3563' DF

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>	<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/></p> <p>CASING TEST AND CEMENT JOB <input type="checkbox"/></p> <p>OTHER: <input checked="" type="checkbox"/> Repair Brine flow, poss. casing leak</p>	<p>PLUG AND ABANDON <input type="checkbox"/></p> <p>CHANGE PLANS <input type="checkbox"/></p> <p>ALTERING CASING <input type="checkbox"/></p> <p>PLUG AND ABANDONMENT <input type="checkbox"/></p>
---	---	--

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

2-10-89 thru 2-28-89:

CO to 3530'. Ran CBL/CCL/GR from 3530' - 2570'. Shot 4-way shot @2510'. Set pkr @ 2377' and spot 250 gals 15% HCl acid into perfs. Set CICR @ 2377' and pmp 75 sxs class "C" cmt + 2% CaCl₂. Pres test to 300 psi - held O.K. Ran CBL/CCl from 4270' (PBDT) to surface. Perf w/ 4-way shot @ 1247'. Set CICR @ 1147' and pmp 260 sxs class "C" cmt. Pres test to 500 psi - held O.K. Circ hole w/ fresh water treated w/ Exxon 7720. Left well shut-in.

Perf @ 2450' (4 SPF) 1/2 acd w/250 gal 15% HCl.

+ 2% CaCl₂ TA'd. JMW

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] for W.F.N. KELLDORF TITLE STAFF PRODUCTION ENGINEER DATE APR 17 1989

APPROVED BY _____ TITLE _____ DATE APR 24 1989

CONDITIONS OF APPROVAL, IF ANY: