Submit 3 Copies to Appropriate District Office

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-103

Revised 1-1-89

DISTRICT I P.O. Box 1980, Hobbs, NM 88240 DISTRICT II P.O. Drawer DD, Artesia, NM 88210 DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410 SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: OIL WELL ON WELL ON OTHER 2. Name of Operator SHELL WESTERN E&P INC.	WELL API NO. 5. Indicate Type of Lease STATE X FEE 6. State Oil & Gas Lease No. 7. Lease Name or Unit Agreement Name STATE "K" SEC 36 8. Well No. 4
3. Address of Operator	9. Pool name or Wildcat
P. O. BOX 576, HOUSTON, TX 77001 (WCK 4435)	EUNICE-MONUMENT (G/SA)
36 200	80 Feet From The <u>EAST</u> Line
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	NMPM LEA County
11. Check Appropriate Box to Indicate Nature of Notice, ReNOTICE OF INTENTION TO: SUBS	eport, or Other Data SEQUENT REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING	
PULL OR ALTER CASING CASING TEST AND CEN	
OASING TEST AND CEN	
	D TREATMENT X
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, includit work) SEE RULE 1103. 10-4-84 ACD OH (3704-3854) WITH 2000 GAL 15% NEA HCL ACID IN TWO STA 9.2# BRINE. SHUT IN FOR 4 HOURS. RETD TO PRODUCTION.	•
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE PROD. ADMIN. A	ADVISOR MAY 0 5 1989
TYPEORPRINT NAME J. H. SMITHERMAN (713) 870-3797 телерноме мо.
(This space for State Use)	
APPROVED BY	DATE
CONDITIONS OF APPROVAL, IF ANY:	

- For Me Cord only

STATE OF NEW MEXICO

T WAS LAWN ST.			
** ** ******	****		
Citt Ainut I	ed .		
14-14 / 6			
/11.1		_	_
U 1.U.A.		_	
LAND OFFICE		!	
18481508138	016	 	_
	0 44		_
C-4441-04		<u> </u>	_

OIL CONSERVATION DIVISION

-	Distainution	P. O. BOX	. 211011	
-	14114 78	SANTA FE, NEW	MEXICO 87501	
1.	711.8		•	
	LAMP OFFICE	REQUEST FOR	ALLOWARI F	
ŀ	Inameron 130 Oil	REGUEST FOR		
Ļ	0 4 4	AUTHORIZATION TO TRANSPI	ORT OIL AND HATURAL GAS	i
. }	PRODATION OFFICE			
* }	Chataros			
-	Shell Western E&P.	, Inc.		
	Address	shford, P.O. Box 991, Hou	ston Texas 77001	
l	200 North Dairy As	snfora, P.U. Box 331, noo	Other (Please explain)	
ſ	Resign(s) for filing (Check proper sor)	Change in Transporter of:		
	Now Well	OII Dry Cos		•
- 1	Recompletion U	Casinghead Gas Condens		
l	Change in Ownership		* and the Towns 7	7001
1	If change of ownership give name S	hell Oil Company, P.O. Bo	ox 991, Houston, lexas /	7001
	and address of previous owner			
••	DESCRIPTION OF WELL AND L	EASE	•	Lease Na.
**•	Lease Name	[Mell NO' boot bound' including	(G_SA) Kind of Lease	
	State K	4 Eunice Monument	(G=SA) State, Federal	State
	Location	•		61
٠	Unit Letter B : 66	O Feel From The North Line	and 1980 Feet From 1	no Egst
			36E Nupm. Lea	County
	Line of Section 36 To	nship 205 Aange	JDE NMPM, Lea	
•			<u>.</u> 1911 - 1911	•
iU.	DESIGNATION OF TRANSPORT	TO OF CONTENTS OF		ved copy of this form is to be sent)
		_	Pho Box 52332, Houst	on, Texas 77052
	Texas New Mexico Pipelin	Inghead Cas [X] or Dry Gas	Ledross / Give address to which appro	ved copy of this form is to be sent!
	Phillips Pipeline Compar	1V	4001 Penbrook St, Ode	ssa, Texas /9/62
		Unit Sec. Twp. Rge.	Is gas actually connected? Wh	
٠.	if well produces oil or liquids, give location of tanks.	No Change	Yes	NA
	Este section of the s	h that from any other lease or pool,	give commingling order number:	
	If this production is comminged with COMPLETION DATA			Plug Back Same Res'v. Dill. Resh
7.		Ott Well Gas Well	New Well Warkaver Deepen	Plot Butt
	Designate Type of Completion			P.B.T.D.
	Date Spudded	Date Compl. Ready to Prod.	Total Depth	
	-			Tubing Depth
	Date Spudded Lievations (DF, RKB, RT, GR, etc.)	Name of Producing Formation	Total Depth Top Oil/Gas Pay .	·
	Lievauens (DF, RKB, RT, GR, etc.)			·
	-	Name of Producing Formation	Top Oil/Gas Pay	Tubing Depth
	Elevations (DF, RKB, RT, GR, etc.)	Name of Producing Formation TUBING, CASING, AND	Top Oil/Gas Pay	Tubing Depth Depth Casing Shoe
•	Elevations (DF, RKB, RT, GR, etc.)	Name of Producing Formation	Top Oil/Gas Pay	Tubing Depth
•	Elevations (DF, RKB, RT, GR, etc.) Perforations	Name of Producing Formation TUBING, CASING, AND	Top Oil/Gas Pay	Tubing Depth Depth Casing Shoe
•	Elevations (DF, RKB, RT, GR, etc.) Perforations	Name of Producing Formation TUBING, CASING, AND	Top Oil/Gas Pay	Tubing Depth Depth Casing Shoe
•	Elevations (DF, RKB, RT, GR, etc.) Perforations	Name of Producing Formation TUBING, CASING, AND	Top Oil/Gas Pay	Tubing Depth Depth Casing Shoe
:	Elevations (DF, RKB, RT, GR, etc.) Perforations MOLE SIZE	TUBING, CASING, AND CASING & TUBING SIZE	CEMENTING RECORD DEPTH SET	Tubing Depth Depth Casing Shee SACKS CEMENT
Y	Perforations MOLE SIZE TEST DATA AND REQUEST F	TUBING, CASING, AND CASING & TUBING SIZE	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET for recovery of satal values of load oilerth or be for full 24 hours	Tubing Depth Depth Casing Shoe SACKS CEMENT and must be equal to ar exceed top allo
Y	Perforations MOLE SIZE TEST DATA AND REQUEST F	TUBING, CASING, AND CASING & TUBING SIZE	CEMENTING RECORD DEPTH SET	Tubing Depth Depth Casing Shoe SACKS CEMENT and must be equal to ar exceed top allo
**	Perforations MOLE SIZE TEST DATA AND REQUEST F	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this de	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET for recovery of satal values of load oilerth or be for full 24 hours	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing acceptable and acceptable acceptable.
.	Perforations HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tonks	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this de	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET for recovery of satal values of load oilerth or be for full 24 hours	Tubing Depth Depth Casing Shoe SACKS CEMENT and must be equal to ar exceed top allo
ν.	Perforations MOLE SIZE TEST DATA AND REQUEST F	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this do	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satal values of load oil right or be for full 24 hours? Producing Method (Flow, pump, gas in Casing Pressure)	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to as exceed top allowing the same of the same
V	Perforations HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tonks	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this do	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satel values of load oil rich or be for full 24 hours Producing Method (Flow, pump, gas in the same pump, gas in the same pump, gas in the same pump.	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing acceptable and acceptable acceptable.
*	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be able for this deliberty) Date of Test Tubing Pressure	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satal values of load oil right or be for full 24 hours? Producing Method (Flow, pump, gas in Casing Pressure)	Tubing Depth Depth Casing Shoe SACKS CEMENT and must be equal to ar exceed top allowing the squal to ar exceed top allowing, etc.) Choke Size Cas-MCF
V	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be able for this deliberty) Date of Test Tubing Pressure	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satal values of load oil right or be for full 24 hours? Producing Method (Flow, pump, gas in Casing Pressure)	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to as exceed top allowing the same of the same
v	Descriptions MOLE SIZE MOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Teel Astual Prod. During Teel	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a sble for this do Tubing Pressure Cit-Bble.	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil	Tubing Depth Depth Casing Shoe SACKS CEMENT and must be equal to ar exceed top allowing the squal to ar exceed top allowing, etc.) Choke Size Cas-MCF
***	Perforations MOLE SIZE MOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Astual Prod. During Test	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be able for this deliberty) Date of Test Tubing Pressure	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satal values of load oil right or be for full 24 hours? Producing Method (Flow, pump, gas in Casing Pressure)	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing to the same of the sa
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Astual Prod. During Test GAS WELL Actual Prod. Test-MCF/D	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this do Tubing Pressure Cit-Bble. Langth of Test	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil roth or be for full 24 hours Producing Method (Flow, pump, gas in the content of the content of total values) Casing Pressure Water-Bble. Bble. Condensate/AMCF	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing to the same of the sa
	Descriptions MOLE SIZE MOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Teel Astual Prod. During Teel	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a sble for this do Tubing Pressure Cit-Bble.	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing attacks and the same attacks are allowed to the sam
	Elevations (DF, RKB, RT, GR, etc.) Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST F OIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pilot, back pr.)	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE Test must be a sile for this de Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Simt-in)	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fer recovery of satel values of load oil rich or be for full 24 hours Producing Method (Flow, pump, gas in the content of th	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing attacks and the same attacks are considered as a second top allowing attacks are considered as a second top attacks ar
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Astual Prod. During Test GAS WELL Actual Prod. Test-MCF/D	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE Test must be a sile for this de Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Simt-in)	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fer recovery of satel values of load oil rich or be for full 24 hours Producing Method (Flow, pump, gas in the content of th	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing the equal to are exceed to a constant the equal top are exceed top are exceed to a constant the equal top are exceed to a constant the equal top are exceed to a constant the exceed top are exceed to a constant the exceed top are exceed to a constant the exceed top are exceed top are exceed to a constant the exceed top
	Perforations HOLE SIZE HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pilot, back pr.) CERTIFICATE OF COMPLIAN	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE Test must be a sile for this de Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Sint-in)	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil right or be for full 24 hours Producing Method (Flow, pump, gas in the content of the content of total values) Casing Pressure Water-Bble. Dil Conserve	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing attacks and the same attacks are allowed to the sam
	Performing MOLE SIZE MOLE SIZE MOLE SIZE MOLE SIZE TEST DATA AND REQUEST F OIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pilot, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and	TUBING, CASING, AND TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this do Date of Test Tubing Pressure Cul-Bhia. Length of Test Tubing Pressure (Sint-in) ICE regulations of the Oil Conservation siven	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET feer recovery of satel values of load oil pith or be for full 24 hours) Producing Method (Flow, pump, gas Casing Pressure Water-Bble. Bbla. Condensate/AMCF Casing Pressure (Sbat-in) OIL CONSERVE APPROVED	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing to the equal to are exceed top allowing to the equal to are exceed top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top are exceed top allowing the exceed
	Performing MOLE SIZE MOLE SIZE MOLE SIZE MOLE SIZE TEST DATA AND REQUEST F OIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pilot, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a sile for this de Tubing Pressure Oil-Bble. Length of Test Tubing Pressure (Shat-in) iCE regulations of the Oil Conservation	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil oil of the for full 24 hours Producing Method (Flow, pump, gas of the form) Casing Pressure Water-Bble. Bble. Condensate/AMCF Casing Pressure (Ebat-in) OIL CONSERVE APPROVED ORIGINAL SIGNI	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing attacks Choke Size Cravity of Condensate Choke Size The BUISION 12
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pital, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and Division have been complied with above is true and complete to the	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE ITest must be a sile for this do Date of Test Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Sint-in) iCE regulations of the Oil Conservation is end that the information given is best of my knowledge and belief.	CEMENTING RECORD DEPTH SET feer recovery of social values of load oil pith or be for full 24 hours Producing Method (Flow, pump, gas of Casing Pressure Wester-Bale, Bale, Condensate/AMCF Casing Pressure (Shat-im) OIL CONSERVE APPROVED BY ORIGINAL SIGNS DISTRICT	Tubing Depth Depth Casing Shoe SACKS CEMENT I and must be equal to ar exceed top allowing to the equal to are exceed top allowing to the equal to are exceed top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal to are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top allowing the equal top are exceed to a second top are exceed top allowing the exceed
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pital, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and Division have been complied with above is true and complete to the	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE ITest must be a sile for this do Date of Test Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Sint-in) iCE regulations of the Oil Conservation is end that the information given is best of my knowledge and belief.	CEMENTING RECORD DEPTH SET feer recovery of satel volume of load oil rith or be for full 24 hours Producing Method (Flow, pump, gas of Casing Pressure Wester-Bales Bales, Condensate/AMCF Casing Pressure (Shat-in) OIL CONSERVE APPROVED BY ORIGINAL SIGNS DISTRICT	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing attention of the same and the same attention of
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pital, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and Division have been complied with above is true and complete to the	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE ITest must be a sile for this do Date of Test Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Sint-in) iCE regulations of the Oil Conservation is end that the information given is best of my knowledge and belief.	CEMENTING RECORD DEPTH SET for recovery of total values of load of pith or be for full 24 hours Producing Method (Flow, pump, gas of load of pith or be for full 24 hours) Casing Pressure Water-Bbie. DIL CONSERVE APPROVED DISTRICT Title This form is to be filled in	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing, etc.) Choke Size Gae-MCF Cravity of Condensate Choke Size AND BIXISION 12 13 15 15 15 15 15 15 15 15 15
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pital, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and Division have been complied with above is true and complete to the	TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE ITest must be a sile for this do Date of Test Tubing Pressure Cil-Bble. Length of Test Tubing Pressure (Sint-in) iCE regulations of the Oil Conservation is end that the information given is best of my knowledge and belief.	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil right or be for full 24 hours! Producting Method (Flow, pump, gas of load oil right) Casing Pressure Water-Bble. DIL CONSERVE APPROVED DISTRICT Title This form is to be filled in it this is a request for all	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing the same and th
	Perforations HOLE SIZE HOLE SIZE TEST DATA AND REQUEST FOIL WELL Date First New Oil Run To Tanks Length of Test Actual Prod. During Test GAS WELL Actual Prod. Test-MCF/D Testing Method (pital, back pr.) I. CERTIFICATE OF COMPLIAN I hereby certify that the rules and Division have been complied with above is true and complete to the	TUBING, CASING, AND TUBING, CASING, AND CASING & TUBING SIZE OR ALLOWABLE (Test must be a able for this do Date of Test Tubing Pressure Cul-Bhia. Length of Test Tubing Pressure (Sint-in) ICE regulations of the Oil Conservation siven	Top Oil/Gas Pay CEMENTING RECORD DEPTH SET fier recovery of total values of load oil right or be for full 24 hours Producing Method (Flow, pump, gas of Casing Pressure Water-Bble. DIL CONSERVE APPROVED DISTRICT This form is to be filled in well, this form must be accome well, this form must be accome taken on the well in acc	Tubing Depth Depth Casing Shoe SACKS CEMENT SACKS CEMENT I and must be equal to ar exceed top allowing the same and th

December 1, 1983 Effective January 1, 1984

Fill out only Sections I, II, and VI for changes of own-well name or number, or transporter, or other such change of conditions to the such change of conditions are presented forms C-104 must be filed for each pool in multiprompleted wells.

JAN 19 1984

HOSES GEFICE