

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30-025-12724
Indicate Type of Lease STATE ☐ FEE ☒
State Oil & Gas Lease No.
Lease Name or Unit Agreement Name SOUTH HOBBS (G/SA) UNIT
Well No. 88
Pool name or Wildcat HOBBS (G/SA)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
Type of Well: OIL ☒ WELL ☒ GAS WELL ☐ OTHER ☐ <i>Injection</i>	
Name of Operator ALTURA ENERGY LTD	
Address of Operator 1710 STANOLINE RD. HOBBS, NM 88240 505-397-8200	
Well Location Unit Letter J : 1650 Feet From The SOUTH Line and 2310 Feet From The EAST Line 10 Section 19-S Township 38-E Range NMPM LEA County	
Elevation (Show whether DF, RKB, RT, GR, etc.) 3585' GL	

11

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting, any proposed work) SEE RULE 1103.

NOTIFY THE NMOCD (24 HRS) BEFORE RIG UP (393-6161)

SET 4.5 CIBP @ 4100' *NOTE: TOP OF LINER @3762'

CIRC. WELL W/ 9.5 # MUD LAIDEN FLUID

SPOT 35 SKS OF CMT @ 4100'

SPOT 25 SKS OF CMT @ 2810' BOTTOM OF SALT * NOTE SQZ DONE ON WELL BORE DIAGRAM

SPOT 25 SKS OF CMT @ 2000' TOP OF SALT

PERF. 7" CSG. @ 1500' SET CIRC @ 1400' CIRC ANNULUS TO SURF. CAP CIRC w/ 50 SKS OF CMT

****IF CMT DOES NOT CIRC. PERF 7" @ 260' & CIRC CMT TO SURF.****

SPOT 50 SKS OF CMT @ 260' SURF. SHOE PLUG

SPOT 10 SKS OF CMT @ 30' SURF.

CUT OFF WELLHEAD & ANCHORS 4' BGL CAP WELL W/STEEL PLATE****DUE TO LOCATION LOCATED IN TOWN WELD WELL INFORMATION ON STEEL PLATE 4' BGL****

THE COMMISSION MUST BE NOTIFIED 24 HRS BEFORE TO THE COMMENCEMENT OF ANY DRILLING OPERATIONS FOR THE C-103

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE *Jack Shelton* TITLE AGENT DATE 01-05-00

TYPE OR PRINT NAME JACK SHELTON

TELEPHONE NO 915-523-5155

(This space for State Use)

APPROVED BY *[Signature]* TITLE DATE

CONDITIONS OF APPROVAL, IF ANY

JAN 06 2000





Amoco Production Company

ENGINEERING CHART

SHEET NO.

OF

FILE

APPN

DATE 7-15-85

BY JAC

SUBJECT SOUTH HOBBS UNIT NO. 88

HOBBS GRAYBURG-SAN ANDRES

1650' FSL & 2310' FEL, SEC. 10, T-19-S, R-38-E

LEA COUNTY, NEW MEXICO

FLAC NO. 952790012

ELEV. 3585' GL

3590' DF

Convert to inf. 12-18-83

12 1/2", 50# CSA 210'

TCMT. UNKNOWN

W/160 SX.

9", 34# CSA 2720'

TCMT. UNKNOWN

W/500 SX

7", 24# CSA 3975'

TCMT. 2976'

W/250 SX

4 1/2"-10.5" Tie Back Liner

SA 3761. Pmp 500 SX CMTX

CIRC OUT 16/SX.

4 1/2" LINER 4250

CMT 85 SX X

CIRC. TLIN 3762

TD 4250

CSG Leak @ 2741-56

Perf 7" CSg @ 1500-01 1/4 SFF

Pmp 250 SX CMT. CIRC. 47 SX.

R 2 3/8" Plastic Coated
16g X Baker Lok-Set
PSA 4034

TLIN 3762

Perf 4172-80, 4187-92, 4200-08 1/4 SFF

