

OWD

COUNTY IFA FIELD Teas, W. STATE NM MW 20118

OPR ATLANTIC RICHFIELD CO. MAP

2 Lea 6015 ARC Federal

Sec 9, T-20-S, R-33-E CO-ORD

330' FSL, 1980' FWL of Sec

		CLASS		OWD	
K&Cmp 12-30-70		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
9 5/8" at 1285' w/450 sx					
7" at 2950' w/600 sx					
5" loc 2875-3350' w/90 sx.					
LOGS EL GR RA IND HC A					
		TD 3350'; PED 3045'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 3113' TYPE W.D.
DATE

2-2-71

P.R.C. 2-4-71; Opr's Elev. 3532' ad
PD 3113' WO (Yates)
(Orig. Sinclair Oil & Gas Co. #2 Federal - Lea
6015 ARC, comp 8-16-63 thru Perfs 3180-96'
G/D 3350', OPB 3310')
TD 3350'; PED 3045'; TEMPORARILY ABANDONED
Perf @ 3085', 3087', 3089', 3094', 3096',
3099', 3103', 3107', 3113' w/1 SP1
Acid (3085-3113') 500 gals
Swld 69 BW in 24 hrs (3085-3113')
EP @ 3045'
Perf @ 2980', 2981', 2986', 2991', 2997',
3001' w/1 SP1
Acid (2980-3001') 350 gals

2-71

Continued
Swbd Dry (2980-3001')
Acid (2980-3001') 1000 gals
Trac (2980-3001') 20,000 gals wtr +
20,000# sd
Ppd 1 to 4 BW in 24 hrs (2980-3001')
May be used as Disposal Well at a later
date.

2-4-71

COMPLETION REPORTED

COUNTY Lea FIELD Teas, West STATE N.M. NO. MAP

OPR. Sinclair Oil & Gas Company

NO. 2 LSE Federal-Lea 6015 ARC

SEC. 9 T. 20S BLK. 33E SUR. CO-ORD.

LOC. 330' fr S Line & 1980' fr W Line of Sec.

MI. FROM CLASS. EL 3541 8

SPUD. 7-30-63 COMP. 8-16-63 FORMATION DATUM FORMATION DATUM

TRT. 500 MA, SOF 10,000 + LOG: 10,000# sd. Anhy 1224

CSG. & SX. 9 5/8" 1285' 450 B/Salt 2800

7" 2950' 600 Yates 2977

5" lnr 2875-3350' 90 SX.

TBG. DEPTH SIZE

LOGS EL GR RA IND HC A TD 3350' PB 3310'

PROD INT. (DAILY RATE) BS&W GH GOR GTY C. P. T. P. HRS. TEST

3180-96' Pump 58 BOPD + 2 BWPD TSTM 30. 12 hr

(Yates) test of 29 BO + 1 BW

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Gackle Drlg. Co. PROP DEPTH 3400' TYPE

DATE

F.R. 8-1-63, Yates. Oper's Elev. 3532' GL.
Gackle Drlg. Co., Contractor, PD 3400'

8-5-63 TD 2950', WOC.

8-12-63 TD 3350' dolo., WOC.

8-19-63 TD 3350' dolo., PB 3310', COMPLETED.
Perf 10 shots 3180-85', 12/3190-96',
Treated 500 gals MA,
SOF 10,000 gals + 10,000# sd.