

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-20193 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-3114-7
7. Lease Name or Unit Agreement Name NORTH MONUMENT G/SA UNIT BLK. 18
8. Well No. 5
9. Pool name or Wildcat EUNICE MONUMENT G/SA

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator AMERADA HESS CORPORATION	
3. Address of Operator DRAWER D, MONUMENT, NEW MEXICO 88265	
4. Well Location Unit Letter <u>E</u> : <u>2322</u> Feet From The <u>NORTH</u> Line and <u>992</u> Feet From The <u>WEST</u> Line Section <u>2</u> Township <u>20S</u> Range <u>36E</u> NMPM <u>LEA</u> County <u></u>	
10. Elevation (Show whether DF, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <u>CEMENT SQUEEZE</u> <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

PLAN TO MIRU PULLING UNIT & INSTALL BOP. TIH W/RBP & SET AT APPROXIMATELY 3800'. PLACE 50' OF SAND ON TOP OF RBP. TIH W/PKR & CONFIRM LEAKS IN CASING F/600' TO SURFACE. TIH W/TUBING OPEN-ENDED & SPOT HALLIBURTON MICRO-MATRIX CEMENT ACROSS LEAK INTERVAL. TOH W/TBG & PRESSURE UP CASING TO SQUEEZE CEMENT INTO LEAKS. WOC 48 HRS, IF POSSIBLE. RU REVERSE UNIT & DRILL OUT. PRESSURE TEST EVERY 100'. CIRC. SAND OFF OF RBP & TOH. TIH RETRIEVE RBP & TOH. TIH W/PRODUCTION EQUIPMENT & RETURN THE WELL TO PRODUCTION.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE R.L. Wheeler, Jr. TITLE SUPV. ADM. SVC. DATE 4-30-93
TYPE OR PRINT NAME R.L. WHEELER, JR. TELEPHONE NO. 393-2144

(This space for State Use)

Orig. Signed by
Paul Kautz
Geologist

APPROVED BY _____ TITLE _____ DATE MAY 05 1993

CONDITIONS OF APPROVAL, IF ANY: