

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office _____
Lease No. **12-02147**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<input checked="" type="checkbox"/>		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. **Union Texas** is located **1900** ft. from **[N]** line and **1900** ft. from **[W]** line of sec. **10**
_____ August 2, 1963

22 1/4 Sec. **10** (1/4 Sec. and Sec. No.)
22 1/4 (Twp.) **13 N** (Range) **107W** (Meridian)
Union Texas (State or Territory)
Union Texas (County or Subdivision)
Union Texas (Field)

The elevation of the derrick floor above sea level is **3562.7** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

TD 3574.
13 3/8 out at **300'** left in hole
Confirming verbal approval to plug given Deane H. Stalts by Dennis Shock.
Well was plugged 7/24/63 as follows:
Pulled **8 1/2"** & **10 3/4"** casing.
3017 - 1400 250 sacks (Plug was tested for hardness)
700 - 600 50
20 - 0 10 - Regulation marker
End between plugs
Location to be cleaned & levelled

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Deane H. Stalts**
Address **c/o Oil Reports and Gas Services**
Box 763
Hubbs, New Mexico

By **A. L. Smith**
Title **Agent**

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220


221

222

223

224

225



LTR



Job separation sheet

N. M. O. C. C. COPY
(SUBMIT IN TRIPLICATE)Budget Bureau No. 42-R368.4
Approval expires 12-31-60.

Land Office _____

Lease No. **W-05147**

Unit _____

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	X
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 2, 1963

Well No. **1** is located **1980** ft. from **N** line and **1980** ft. from **E** line of sec. **10**

10 **10** **10** **10**
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Unassigned **100** **New Mexico**
 (Section) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3560.7** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 8 5/8" 24# casing to 1330'. Job complete 6/30/63. Drilled to 1380' and bailed hole dry. No fill up after 2 hours.

RECEIVED

AUG 5 1963

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Dennis H. Stalta**Address **c/o Oil Reports and Gas Services****Box 763****Hobbs, New Mexico**

By

A. L. Smith

Title

Agent

GPO 9 18 507