



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.
Form Approved.

Land Office Las Cruces
Lease No. 031622 b
Unit 0

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Sanderson B-1

July 28, 1963

Well No. 9 is located 660 ft. from S line and 1980 ft. from E line of sec. 10

34/4 35/4 Sec. 10 20-3 36-3 N107W
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
INDU Lee New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Ran 3372' 7-5/8" @ 26.4 lb M-40 and 635' 7-5/8" @ 26.4 lb 8-55 casing, set at 4004' with 200 sacks cement w/8% gel and 100 sacks cement w/4% gel. All cement saturated. Plug down at 6:50 am, 5-22-63. Top of cement by temperature survey at 2550'. WOC 36 hrs. Tested casing w/1000 PSI for 30 minutes before and after drilling plug. Tested ok.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 68

Las Cruces, New Mexico

1558-3 15000-2 487 File

By [Signature]

Title District Superintendent