

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 South First, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised March 25, 1999

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

WELL API NO. 30-025-20607
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: North Wilson Deep Unit
8. Well No. 1
9. Pool name or Wildcat Osudo Morrow Gas

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Chevron USA, Inc.

3. Address of Operator
15 Smith Rd. Midland, Tx 79705

4. Well Location
Unit Letter O : 660 feet from the south line and 1980 feet from the east line

Section 31 Township 20-S Range 36-E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐


COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24hrs prior to MI & RI 255x
2. Set 7" CIBP @ 11,300, spot 20sx plug 11300-11200(Morrow Gas) WOC Tag.
3. Displace hole w/MLF, 9.5# Brine w/25# Gel P/BBL.
4. Spot 40sx plug 10150-9950(Lower Bone springs sqz'd)
5. Spot 40sx plug 7950-7750(Upper Bone springs sqz'd)
6. Perf 4 holes @ 5400, sqz 75sx plug 5400-5200(9 5/8 shoe, Delaware) WOC Tag.
7. Cut 7" csg @ 5000, L/D csg, spot 40sx plug 5000-4800 (7" stub) WOC Tag.
8. Spot 50sx plug 3600-3300(B-salt, Yates)
9. Spot 40sx plug 1900-1700(T-salt)
10. Perf 4 hole @ 375, sqz 125sx plug 375-200(13 3/8 shoe) WOC Tag.
11. 10sx surface, Install dry hole marker.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE G. R. Bledsoe TITLE HES Specialist DATE 10/22/2002

Type or print name G. R. Bledsoe Telephone No. 915.687.7153
(This space for State use)

APPROVED BY PAUL F. KAUTZ TITLE PETROLEUM ENGINEER DATE OCT 23 2002

Conditions of approval, if any:

PLUGGING & ABANDONMENT WORKSHEET

(3 STRING CSNG)

OPERATOR CHEVRON USA INC.

LEASE NAME NORTH WILSON DEEP UNIT

WELL # 1

SECT 31 TWN 20-S RNG 36-E

FROM N/S/L 1980 E/W/L

TD 12,725 FORMATION @ TD moreau

PBTD 11,755 FORMATION @ PBTD



13 3/8
@ 316
TOC SURF

9 5/8
@ 5349
TOC 500

7" 32"
@ 11,985
TOC 5830

TD 12,725


	SIZE	SET @	TOC	TOC DETERMINED BY
SURFACE	<u>13 3/8</u>	<u>316</u>	<u>SURF</u>	<u>Circ</u>
INTMED 1	<u>9 5/8</u>	<u>5349</u>	<u>500</u>	<u>T.S.</u>
INTMED 2				
PROD	<u>7"</u>	<u>11,985</u>	<u>5830</u>	<u>C.B.L</u>

	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					

	CUT & PULL	TOP - BOTTOM
INTMED 1		<u>PERFS</u> <u>11,353-11,376</u>
INTMED 2		<u>OPENHOLE</u>
PROD	<u>5000'</u>	

*REQUIRED PLUGS DISTRICT

	PLUG	TYPE PLUG	SACKS CEMENT	DEPTH
RUSTLER (ANHYD)	<u>1</u>	<u>CIBP</u>	<u>20</u>	<u>11,300</u>
YATES	<u>2</u>	<u>B-Speings</u>	<u>40</u>	<u>10,150</u>
QUEEN	<u>3</u>	<u>B-Speings</u>	<u>40</u>	<u>7950</u>
GRAYBURG	<u>4</u>	<u>9 5/8 S</u>	<u>75</u>	<u>5400</u>
SAN ANDRES	<u>5</u>	<u>STUB</u>	<u>40</u>	<u>5000</u>
	<u>6</u>	<u>B-SALT</u>	<u>50</u>	<u>3600</u>
CAPITAN REEF	<u>7</u>	<u>T-SALT</u>	<u>40</u>	<u>1900</u>
	<u>8</u>	<u>13 3/8 S</u>	<u>125</u>	<u>375</u>
DELAWARE	<u>9</u>	<u>SURF</u>	<u>10</u>	<u>10</u>
BELL CANYON				
CHERRY CANYON				
BRUSHY CANYON				
BONE SPRING				
GLORIETA				
BLINBRY				
TUBB				
DRINKARD				
ABO				
WC				
PENN				
STRAWN				
ATOKA				
MORROW				
MISS				
DEVONIAN				





Small, dark, irregularly shaped object, possibly a fossil or mineral specimen, mounted on a light-colored background. It has a rough, crystalline appearance with some internal structure visible.

Small, dark, irregularly shaped object, possibly a fossil or mineral specimen, mounted on a light-colored background. It has a rough, crystalline appearance with some internal structure visible.

Small, dark, irregularly shaped object, possibly a fossil or mineral specimen, mounted on a light-colored background. It has a rough, crystalline appearance with some internal structure visible.