

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE If State Land submit 6 Copies


AREA 640 ACRES  
LOCATE WELL CORRECTLY

Gulf Oil Corporation

Bertie Whitire

(Company or Operator)

(Lease)

Well No. 9, in SE 1/4 of NE 1/4, of Sec. 8, T. 20-S, R. 37-E, NMPM.

Monument

Pool, Lea

County.

Well is 1980 feet from North line and 330 feet from East line

of Section 8, 20-S, 37-E. If State Land the Oil and Gas Lease No. is

Drilling Commenced 7-9-1964 Drilling was Completed 7-18-1964

Name of Drilling Contractor Moran Drilling Company

Address 903 West Marland, Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head The information given is to be kept confidential until 19

## OIL SANDS OR ZONES

No. 1, from 3715 to 3765 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
9-5/8"	36 & 40	New	1121	Guide			Surface Pipe
7"	23	New	3833	Guide		3715 - 3765	Oil String

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	9-5/8"	1136	550	Pump & Plug		
8-3/4"	7"	3884	900	Pump & Plug		

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized with 500 gallons of 15% HC Acid

Result of Production Stimulation Flowed 1854.0 MCF and .5 BW in 24 hours.

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3845 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

Is not producing - To be carried as a closed in gas well.

Put to Producing, 19.

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity.

GAS WELL: The production during the first 24 hours was 1854.0 M.C.F. plus .5 barrels of water barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy	1092		T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2514		T. Simpson		T. Pictured Cliffs
T. 7 Rivers	2810		T. McKee		T. Menefee
T. Queen	3203		T. Ellenburger		T. Point Lookout
T. Grayburg	3443		T. Gr. Wash		T. Mancos
T. San Andres	3770		T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn			T.		T.
T. Miss			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	124		Surface Sand				
	650		Red Beds				
	1060		Red Beds & Anhy				
	2275		Salt & Anhy				
	3057		Anhy				
	3130		Anhy & Lime				
	3845		Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

September 8, 1964 (Date)  
Company or Operator Gulf Oil Corporation Address Box 670, Hobbs, New Mexico  
Name F. E. BONLANG Position or Title Area Production Manager