

COUNTY	LEA	FIELD	Wildcat	STATE	NM
OPR	PAN AMERICAN PETROLEUM CORPORATION				MAP
1 Little Redd Unit					CO-ORD
Sec. 5, T-20-S, R-33-E					MN 21647
660' ESL, 1984' FWL of Sec.					
Spd 2-10-66		CLASS		EL	
Opr 7-1-66		FORMATION	DATUM	FORMATION	DATUM
CSG & SX TUBING					
20"	1180'	2500			
13 3/8"	1929'	2000			
9 5/8"	3136'	1650			
5 1/2"	14608'	500			
LOGS EL GR RA IND HC A		TD 14205'			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.
DATE

PROP DEPTH 13,700' TYPE

S.S. 2-10-66; Opr's Elev. 3585' KB
FD 10,700'
2-14-66 SD 1189', fishg.
2-21-66 TD 1929', mg logs.
2-28-66 Drlg. 2800'.
Lost & regained circ @ 3600'.
3-7-66 Drlg. 6130'.
3-14-66 Drlg. 8680'.
3-21-66 Drlg. 9640'.
3-28-66 Drlg. 10410'.
4-4-66 Drlg. 11226'.
4-11-66 Drlg. 11820'.
4-18-66 Drlg. 12420', tight.
4-25-66 Drlg. 13035', tight.
5-2-66 Drlg. 13855', tight.
5-9-66 Drlg. 13917', tight.
5-16-66 Drlg. 14525', tight.
5-23-66 Drlg. 14677', tight.

5-31-66 Drlg. 14895', tight.
6-66 TD 14895', MO Rig (Tight)
6-13-66 TD 14895', tight.
6-20-66 TD 14895', tight
6-27-66 TD 14895', tight.
7-5-66 TD 14895', TEMPORARILY ABANDONED.
(Holding for complete information)
7-18-66 TD 14895', Completion Reported.
DST (Bone Spring) 9080-9191', open 1 hr,
GCS 8 mins @ 100 MCFGPD
Rec 270' c11 (Gravity 38.) + 90' HOGCM,
1 hr ISIP 3593#, FP 72-131#,
2 hr FSIP 3018#.
DST 9936-10080', open 1 hr,
Rec 1080' gas in DP, 140' GCM + 10'
SHI MC OIL

1 hr ISIP 562#, FP 151-151#,
1 hr FSIP 390#.
DST 11140-265', open 3 hrs,
GCS 40 mins @ 125CM,
Rec 283' HOGCM + 20' HOGCM,
1 hr ISIP 5153#, FP 90-90#,
1 hr FSIP 4012#.
DST 13009-085', open 2 hrs,
GCS 11 mins @ 140 MCFGPD
Used 2000' WB,
Rec 2000' WB + 180' HOGCM,
1 hr ISIP 6802#, FP 944-1030#,
1 hr 30 min FSIP 6241#.
Set 5½" @ 14508' W/900 sz.

7-18-66

Continued

DST 14608-728', open 2 hrs,
(Leak in DP)

Rec 765' WB & Mud, 1510' WB, 900'
mud + 1500' GCM,

All Pressures Failed.

At TD 14841', Ran 2" tubing
W/Pkr @ 14560'

Swbd load wtr for 5 hrs (14560-841')

Pulled Tubing & Drld to 14895'

DST 14608-895', open 2 hrs,

Rec 1000' WB, 1500' Sli GCM + 11,500'

Salty Sul Wtr,

FP 1776-6240#, 50 min FSIP 6240#.

PB to 11492'

Perf 11184-188', 11192-196', 11216-
224', 11241-248', 11370-376', 11456-

464' W/2 SPF

Acid (11184-464') 5000 gals.

Swbd 27 BNO + 29 BFW/9 hrs & swbd down

Frac (11184-464') 30,000 gals oil + 45,000#
sd.

Flwd 86 BLO/12 hrs & died.

Swbd 37 BLO/9 hrs (-766 BLO)

Set BP @ 9250'

Perf 9136-46', 9178-88' W/2 SPF

Acid (9136-88') 5000 gals.

Swbd 50 BO + 77 BLW/25 hrs.

Frac (9136-88') 20,000 gals wtr +
25,000# sd.

Swbd 2 BO + 41 BLW/8 hrs (-169 BLW)

LEA Wildcat NM Sec. 5-20S-33E
PAN AMERICAN PETROLEUM CORP., #1 Little Eddy Unit Page #4

7-18-66

Continued

LOG TOPS: Bone Spring 8030',
Pennsylvanian 12132', Mississippian
13959', Woodford 14519', Siluro-
Devonian 14657' (-11092')