EXICO OIL CONSERVATION COMMISS

Operator

Unit Letter

D

Ground Level Elev.

Actual Footage Location of Well: 990

interest and royalty).

WILLIAM A & EDWARD R. HUDSON

28

feet from the

Township

NORTH

Seven Rivers

**Producing Formation** 

20 SOUTH

Section

WELL LOCATION AND ACREAGE DEDICATION PLATEDS OFFICE 0. C. C. Form C-102 Supersedes C-128 Effective 1-1-65 All distances must be from the outer boundaries I the Sec 21 11 25 Alf \$5 Lease SINGLETON Range 34 EAST LEA 990 WEST line and ine Fool Dedicated Acreage: Lynch - Extension 40 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and cleantly the ownership thereof (both as to working . . . . . . . . . . . . . . CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Consultant 14 AL 1 /11 December 17, 1965 I hereby certify that the well location shown on this plat was plotted from field

3. If more than one lease of different ownership is dedicated to the well, mave the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes Yes If answer is "yes," type of consolidation No No If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. 990 notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. ΰ 676 ite Surveyed DEC. 3, 1965 Registered Professional Engineer and or Land Surveyor 1. West TITI 676 660 90 1320 16 50 1980 2310 2000 1500 1000

| COUNTY LEA FIELD                    | Undesignated | ST     | ATE NM    |         |
|-------------------------------------|--------------|--------|-----------|---------|
|                                     |              |        | MAP       |         |
| <u>l Singelton</u>                  |              |        |           |         |
| Sec. 28, T-20-S, R-34-E             |              | CO-ORD |           |         |
| 990' FNL, 990' FWL c                | of Sec.      |        |           |         |
| Spd 1-20-66                         |              | CLASS  | E         |         |
| Cmp 2-16-66                         | FORMATION    | DATUM  | FORMATION | DATUM   |
| CSG & SX . TUBING                   |              |        |           | - DATOM |
| 13 3/8" 69' 100<br>8 5/8" 1138' Set |              |        |           |         |
| LOGS EL GR RA IND HC A              | TD 3721'     |        |           |         |

-

- :

в,

PLUGCED & ABANDONED

.

~

~

•

|                               | Distribution limited and publication prohib<br>Reproduction rights reserved by Williams | ited by subscribers' agreement.<br>& Lee Scouting Service, Inc. |         |
|-------------------------------|---|---|---------|
| <u>cont. Whitaker</u><br>Date | Drlg. Co.   | PROP DEPTH 3800'  | TYPE CT |

|         | 3.R. 12-23-65<br>PD 3800' - Seven Rivers |
|---------|--|
| 1-24-66 | ib beven Rivers                          |
|         | Contractor - Whitaker Drig. Co.          |
|         | Drlg. 897'.                              |
| 1-31-66 | Drig. 1460'.                             |
| 2-8-66  | Drlg. 2785' salt.                        |
| 2-21-66 | TD 3721', PLUGGED & ABANDONED.           |
|         | Shew oil 3525-37'                        |
|         | Hole full of wtr 3718-21'                |
|         | LOG TOPS: Anhydrite 1550', Base Salt     |
|         | 3270', Yates 3460', Seven Rivers 3707'.  |

OIL AND WATER HAULING BRINE SALES HOT OIL SERVICE OIL SALES STEAMER SERVICE PUMP TRUCK SERVICES CODY & TEAGUE TRANSPORT, INC. ODESSA, TEXAS PHONE FE 2-4387 Hadson VITU Vison Singlaton #1 TD 3721 D-28-20-34 133/4 69' 100 10 1/4 674 7 Full 85/4 1/38 J T.S 1680 BS 3270 Yates 3460 Show 3529-3537 7" 3685 255×3 Topoanat 3500 shut offwater with know wool 7R 3707 50' plug on least wool Mud to boost of world Com at to 1600

100 Ft. plug soross noter

.

· .

Mud to top +