

CWWO

COUNTY LEA FIELD Nadine STATE NM 30-025-22055

OPR SHEWANDOAH OIL CORP. MAP

1 Terry, Will

Sec 23, T-19-S, R-38-E CO-ORD

660' FSL, 1780' FWL of Sec.

|                          |                     | CLASS |           |
|--------------------------|---------------------|-------|-----------|
| Re-Comp 2-10-69          | FORMATION           | DATUM | FORMATION |
| CSG & SX - TUBING        |                     |       |           |
| 13 3/8" at 346' w/340 sx |                     |       |           |
| 8 5/8" at 3150' w/250 sx |                     |       |           |
| 4 1/2" at 7835' w/690 sx |                     |       |           |
| LOGS EL GR RA IND HC A   |                     |       |           |
|                          | ID 7924'; PED 7000' |       |           |

IP (Drinkard) Perf 6735-6888' Swbd 120 EOPD + 48 EW. Pot based on 1 hr test.

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 6875' TYPE WO

F.R.C. 2-27-69  
PD 6875' WO (Drinkard)  
(Orig. comp 7-6-67 thru (Wichita Albany) Perfs  
7036-7689', OTD 7924', OPB 7740')

2-24-69 TD 7924'; PED 7000'; COMPLETE  
Perf (Drinkard) @ 6735', 6738', 6742', 6747',  
6751', 6755', 6760', 6765', 6769', 6771',  
6778', 6780', 6782', 6785', 6800', 6803',  
6805', 6808', 6813', 6823', 6827', 6830',  
6838', 6840', 6845', 6851', 6866', 6869',  
6873', 6876', 6888' w/1 SPI  
Set BP @ 7000'  
Acid (6735-6888') 2000 gals (28%)

2-27-69 COMPLETION REPORTED

|                        |                 |                  |         |           |             |
|------------------------|-----------------|------------------|---------|-----------|-------------|
| COUNTY                 | ISA             | FIELD            | Madison | STATE     | MT          |
| OPR                    | SABIA OIL CORP. |                  |         |           | MAP         |
| 1. 1957, Will          |                 |                  |         |           |             |
| S. 13, T. 19S, R. 10E  |                 |                  |         |           | CO-ORD      |
| 660' FWL of Sec.       |                 |                  |         |           | 30-013-2153 |
| S. 14, T. 19S          |                 |                  |         |           |             |
| C. 14-66               |                 |                  |         |           |             |
|                        |                 | CLASS            |         | EL        |             |
|                        |                 | FORMATION        | DATUM   | FORMATION | DATUM       |
| TSS & SX - TUBING      |                 |                  |         |           |             |
| 13 3/8" 146'           |                 |                  |         |           |             |
| 8 3/4" 110'            |                 |                  |         |           |             |
| 4 1/2" 60'             |                 |                  |         |           |             |
| LOGS EL GR RA IND HC A |                 |                  |         |           |             |
|                        |                 | 7024', FSD 7740' |         |           |             |

F. Frankard-Wichita Albany Paris 7036-1659' Fmtd 17 BOPD +  
 11.7W. Int. Based on 24 hr test, gravity 87., DOR 1763.

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. And Orl. Co. PROP DEPTH 5000' TYPE RT  
 DATE

D.R. 2-9-67  
 FSD 4013' - 500'.  
 Contr. - And  
 1-31-67 AVEND FIELD DESIGNATION & LOCATION: Formerly  
 Wildcat; located 660' FSD, 1957' FWL of Sec.  
 2-1-67 Coring @ 4286'  
 Corred 4210-40', rec 35' dolo & anhy., well  
 show 4237-430'.  
 3-8-67 Drilg. 6343'.  
 Corred 4150-386', rec 30' dolo., w/fair to  
 good FFB & show 4270-4300'.  
 FSD 4248-4330', open 1 hr,  
 rec 30' SLS O&G Sol Wtr + 240' SLS Wtr. Y.  
 1 hr 1575 1135#, IF 47-70#,  
 2 hr 13 min FSD 1410#.

6-9-67 ID 7924', PBD 7740', prep swab.  
Perf (Wichita Albany) @ 7624', 7659', 7660',  
7661', 7687', 7688', 7689' W/1 SPI  
Swbd down to 5500' w/no shows (7624-89')

6-10-67 ID 7924', PBD 7740', swbg.  
Acid (7624-89') 3 bbls  
Swbd 42 BLW + 5 BNO (7624-89')  
Acid (7624-89') 3500 gals 28% + 2500 gals 15%  
Swbd 6.5 BFPH (30% load wtr) (7624-89')  
Sat Ret. BP @ 7610'  
Perf @ 7521', 7527', 7530', 7533', 7547',  
7554', 7565', 7568', 7571', 7578', 7587',  
7589', 7597', 7599' W/1 SPI  
Acid (7521-99') 2000 gals.

Swbd 2.12 BFPH (20% load wtr) (7521-99')  
Pulled BP @ 7610'

6-12-67 ID 7924', PBD 7740', swbg.  
Swbd 154 BF (60% oil, 40% load wtr) in 20 hrs  
(7521-7689')

Perf (Drinkard) 7036-42' W/2 SPF  
Acid (7036-42') 1000 gals 15%  
Swbd 5 BF (90% oil, 10% load wtr) in 1 hr  
Acid (7036-42') 6000 gals

6-19-67 ID 7924', PBD 7740', RU Pump  
Swbd 36 BF (60% oil, 40% LW) in 8 hrs (7036-42')

6-26-67 ID 7924', PBD 7740', TOP

7-3-67 ID 7924', PBD 7740', TOP, no gauge.

7-10-67 ID 7924', PBD 7740', TOP  
Fmpd 105 BLW, w/good show oil in 24 hrs.

LHA            Nadine            NM            Sec. 23-19S-38E  
BERNARDQAH OIL CORP., #1 Terry, Will            Page #4

7-17-67    TD 7924', PBD 7740', on pot.  
7-24-67    TD 7924', PBD 7740', WO OCC Pot.  
7-31-67    TD 7924', PBD 7740', COMPLETE.  
LOG TOPS: Yates 2826', SA 4281', Glor  
5563', Clearfork 6021', Tubb 6552', Abo 7152',  
Devonian 7870'.