

WRS COMPLETION REPORT

REISSUES SEC 34 TWP 20S RGE 35E
PI# 30-T-0016 03/14/88 30-025-22572-0001 PAGE 1

NMEX LEA * 660FNL 660FEL SEC NE NE
STATE COUNTY FOOTAGE SPOT
NEARBURG PROD D X DG
OPERATOR WELL CLASS INIT FIN
1 HOT TAMALE STATE

WELL NO. LEASE NAME
3680GR OSUDO W
OPER ELEV FIELD POOL AREA
API 30-025-22572-0001

LEASE TYPE/NO. PERMIT OR WELL I.D. NO.
11/30/1985 01/08/1986 ROTARY GAS-WO
SPUD DATE COMP. DATE TYPE TOOL STATUS
11000 MORROW NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 13968 PB 13557 OTD 13968 FM/TD MORROW
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

19 MI SE BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

FLD CHGD FROM LEA SOUTHWEST
OPR CHGD FROM CHAMA PET
ZONE CHGD FROM WOLFCAMP

CASING/LINER DATA

CSG 5 1/2 @13968 W/ 277 SACKS

TUBING DATA

TBG 2 7/8 AT 12743

INITIAL POTENTIAL

IPF 2614.0MCFD 9/64CK 24HRS
MORROW L PERF W/ 4/FT 13478-13482
SITP 2630
@13478FT BHT 128F
4/64CK 396MCFD TP 2270 BHFP 4176
6/64CK 498MCFD TP 1880 BHFP 4000
9/64CK 665MCFD TP 1290 BHFP 3658
14/64CK 894MCFD TP 930 BHFP 3401
23/64CK 1106MCFD TP 750 BHFP 3343
BH 4401 FPCAOF 2614MCFD
GTY 51.2 GOR (NR)

CONTINUED IC# 300257059185

REISSUES SEC 34 TWP 20S RGE 35E
PI# 30-T-0016 03/14/88 30-025-22572-0001 PAGE 2

NEARBURG PROD D X DG
1 HOT TAMALE STATE

INITIAL POTENTIAL

GAS GTY .628
P/L CON NONE
FIELD /RESERVOIR
/MORROW
1ST & 3RD PT TEST IN 60 MINS
2ND PT TEST IN 90 MINS
4TH PT TEST IN 45 MINS
5TH PT TEST IN 30 MINS

PRODUCTION TEST DATA

MORROW L PERF W/ 124/IT 13643-13674
PERF 13643-13674
ACID 13643-13674 1000GALS
SQZD 13643-13674 W/ 125S
SQZD & DOC

MORROW L REPERF W/ 38/IT 13643-13662
PERF 13643-13662
SQZD 13643-13662 W/ 125S
BRPG 13643-13662 DEPTH 13557
TREATMENT NOT RPTD

PTF 20BCPD 119 MCFD 9/64CK 24HRS
MORROW L PERF W/ 4/FT 13478-13482
PERF 13478-13482
ACID 13478-13482 1000GALS
TP 1290

DRILLING PROGRESS DETAILS

NEARBURG PROD
BOX 31405
DALLAS, TX 75231
214-739-1778
OWWO: OLD INFO: FORMERLY PENNZOIL UNITED INC,
#1 LOWE "34" STATE. ELEV 3704 KB. SPUD 5/24/68
13 3/8 @ 357 W/400 SX, 9 5/8 @ 5465 2/403 SX.
LOG TOPS: AOTKA 12653, MORROW LM 12900, MORROW
LOWER 13380. OTD 13968. COMP 8/17/68. D&A.
11/22 LOC/1985/
05/15 DO TO 13968

CONTINUED

REISSUES SEC 34 TWP 20S RGE 35E
PI# 30-T-0016 03/14/88 30-025-22572-0001 PAGE 3

NEARBURG PROD D X DG
1 HOT TAMALES STATE

DRILLING PROGRESS DETAILS

05/21 RAN 5 1/2 CSG
13968 TD, PB 13557
COMP 1/8/86, IPCAOF 2614 MCFGPD, GOR (NR),
GTY 51.2, GTY (GAS) .628,
SIWHP 2630, SIBHP 4401
PROD ZONE - MORROW 13478-13482
NO CORES OR DSTS RPTD
11/03 REISSUED TO CORRECT IP & ADD 5 PT GGE &
DRLG COMMENT
REPLACEMENT FOR CT ISSUED 5/23/86
03/08 REISSUED TO ADD NO CORES STMT
REPLACEMENT FOR CT ISSUED 11/10/86