



COUNTY	LEA	FIELD	Hobbs	STATE	NM
OPR	AMOCO PRODUCTION CO.			API	30-025-23530
NO	21	LEASE	South Hobbs (GBSA) Unit	MAX	
	Sec 3, T19S, R38E			COORD	8-3-19 NM
	663 FNL, 1935 FWL of Sec			RE-SPD	5-14-83
	Hobbs Townsite			RE-CMP	5-26-83
CSG	8 5/8-303-200 sx			WELL CLASS: INIT	DX FIN DO LSE CODE
	5 1/2-4283-675 sx			FORMATION	DATUM FORMATION DATUM
				TD	4283 (SADR)
				PBD	4191

IP (Grayburg-San Andres) Perfs 4007-4276 P 10 BOPD + 218
 BW. Pot based on 24 hr test. GOR TSTM; gty (NR)

CONTR	OPR/ELEV	3618 GL	sub-s
-------	----------	---------	-------

F.R.C. 8-20-83 OWWO
 PD 4191 WO
 (Orig. Pan American Pet. Corp., #30 Byers
 "A", Cmp. 9-1-70 thru (San Andres) Perfs
 4134-38, OTD 4283, OPB 4147; OWWO & Re-Cmp.
 10-28-70 thru (San Andres) Perfs 4099-4102,
 OTD 4283, OPB 4124)
 8-15-83 TD 4283; PBD 4191; Complete
 Sqzd (4099-4102) 190 sx
 DOC to 4191
 Perf (Grayburg-San Andres) 4007-11, 4015-38,
 4044-50, 4053-70, 4150-71, 4198-4200, 4210-23,
 4226-44, 4253-70, 4272-76 w/2 SPF
 Acid (4007-4276) 8100 gals
 8-20-83 COMPLETION ISSUED

8-3-19 NM
 30-025-70539-83

Re-Cmp 10-28-70						CLASS	OWD	EL	%
						FORMATION	DATUM	FORMATION	DATUM
CSG & SX . TUBING 8 5/8" at 303' w/200 sx 5 1/2" at 4283' w/675 sx									
LOGS EL GR RA IND HC A									
						TD 4283'; FBD 4124'			

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. _____ PROP DEPTH 4102' TYPE _____
DATE _____

F.K.C. 11-19-70; Opr's Elev. 3620' FB
FD 4102' WO (San Andres)
(Orig. Comp 9-1-70 thro Perf's 4134-38',
OHD 4283', OPB 4147')
11-17-70 TD 4283'; FPD 4124'; COMPLETE
Acid (4134-38') 4000 gals
Fpd wtr (4134-38')
Sqzd (4134-38') w/70 sx
Perf 4099-4102' w/2 SPB
Acid (4099-4102') 200 gals
Fpd 170 SG + 201 SW in 24 hrs (4099-4102')
11-19-70 COMPLETION REPORTED

COUNTY	LEA	FIELD	Hobbs	STATE	NM	30-025-23530
OPR	PAN AMERICAN PET. CORP.			MAP		
	30 Byers "A"					
	Sec 3, T-19-S, R-38-E			CO-ORD		
	663' FNL, 1935' FWL of Sec					
	Spd 7-7-70					
	Cmp 9-1-70			CLASS	EL 3618E	
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING						
8 5/8" at 303' w/200 sx						
5 1/2" at 4283' w/675 sx						
LOGS EL GR RA IND HC A						
	TD 4283'; PBD 4147'					

IF (San Andres) Perfs 4134-38' P 43 BOPD + 6 BW. Pot based on 24 hr test. GOR 2160; Grav NR.

Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.			
CONT	Cactus	PROP DEPTH	4250'
DATE		TYPE	RT

F.R. 6-22-70; Opr's Elev. 3620' KB
PD 4250' RT (Crayburg-San Andres)
Contractor - Cactus

7-13-70 Drlg. 2585'
7-20-70 Drlg. 3657'
7-24-70 Drlg. 4138'

8-3-70 TD 4283'; PBD 4281'; Swbg
Perf 4270-80' w/2 SIF
Acid (4270-80') 1000 gals
Swbd 6 BO + 25 BLW + 29 FFW in 9 hrs (4270-80')
Acid (4270-80') 3000 gals

8-10-70 TD 4283'; PBD 4281'; TO Pmp
Ppd 21 BO + 126 FW in 24 hrs, GOR 16,400

8-17-70 TD 4283'; FBD 4260'; TO Pmp
Ppd 21 BO + 90 BW in 21 hrs (4270-80')
Sqzd (4270-80') w/75 sx
Perf 4154-57' w/4 SPF
Acid (4154-57') 1000 gals
Ppd 8 BO + 146 BW in 24 hrs, GOR 16,000
8-24-70 TD 4283'; FBD 4260'; TO Pmp
8-31-70 TD 4283'; FBD 4260'; Prep Sqz
Ppd 14 BO + 343 BW in 72 hrs, GOR 18,900
(4154-57')
9-3-70 TD 4283'; FBD 4147'; Swbg
Sqzd (4154-57') w/100 sx
Perf 4134-38' w/2 SPF
Acid (4134-38') 2500 gals

9-14-70 TD 4283'; FBD 4147'; COMPLETE
LOG TOPS: Anhydrite 1610', Queen 3515',
Grayburg 4028', San Andres 4125'
9-17-70 COMPLETION REPORTED