

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. API-30-025-24540
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. V-1618
7. Lease Name or Unit Agreement Name Cleary State SWD
8. Well No. #1
9. Pool name or Wildcat Hat Mesa Delaware
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3626' GR

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
OIL WELL ☐ GAS WELL ☐ OTHER Saltwater Disposal

2. Name of Operator  
Strata Production Company

3. Address of Operator  
648 Petroleum Bldg. Roswell, New Mexico 88201

4. Well Location  
Unit Letter N : 990' Feet From The South Line and 1980' Feet From The West Line

Section 32 Township 20S Range 33E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)  
3626' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>		CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Completion of Salt Water Disp. <input checked="" type="checkbox"/>	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) Dig out cellar; Nipple up to 13 3/8" csg.
- 2) Drill and clean out to top of 9 5/8" csg. stub at 1115'
- 3) Drill and clean out to 6983'. Circ. hole clean. Close in BOP and test csg. to 1000# for 15 min. OK
- 4) TOH with tools. Lay down collars and prep. to complete.
- 5) TIH with Cement Retainer and set at 5835' with 25' cement on top.
- 6) TIH and perf. 57 .42 holes from 5413'-5682'. Treat with 4000 gal. 7 1/2% NeFe acid. Recover load. TOH with Pkr.
- 7) TIH with 170 jts 2 3/8" plastic coated tubing and Zinc plated 9 5/8" Pkr. and set at 5363'
- 8) Work on battery and Prep. to ready for disposal.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Frank S. Murga TITLE VP Field Operations DATE 4/02/91

TYPE OR PRINT NAME

TELEPHONE NO.

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY: