

CEMENTING AFFIDAVIT

I, Gene Leeth, being of lawful age and having full knowledge of
the facts herein below set out do state: I am employed by Byron Jackson Inc.
On5-19-19_75, BYRON JACKSON INC. performed the cementing
operation herein described for Wallen Production on their
Well No. 5 on the Wallen Federal lease
located in Lea County, State of New Mexico
CASING CEMENTING: Name or type of string was Surface . Information provided by the Customer Company states that the casing was 16" in. O.D.
set in 30" inch hole, and that the casing depth set was 98 feet. For this job the following materials were used:
350 Sacks - Class C, Cement
88 Lbs - Celloflake
7 Sacks - Gel
An estimated Circulated sacks of excess cement was circulated out of the well
CEMENT PLUG: Information provided by the Customer Company states that the
hole size was inches, and total depth was feet. For this job the following materials were used to place plugs as indicated:
Plug from ft. to ft. with sacks of
SIGNED: BYRON JACKSON INC.

BY- Gene Leeth fun fully
5-10-75

DATE:

MALE TX TO TO THE INCH AG OTOO MALE TX TO INCHE.

REUTTLE A ESSER CO.

This is a B. I temperature survey to show topol cever for USGS



BYRON JACKSON INC.

5.

CEMENTING AFFIDAVIT

I, Ignacio Morales , being of lawful age and having full knowledge of
the facts herein below set out do state: I am employed by Byron Jackson Inc.
On June 17, 1975 , 19 , BYRON JACKSON INC. performed the cementing
operation herein described for Wallen Production Company on their
Well No. 5 on the Wallen Federal lease
located in Lea County, State of New Mexico .
CASING CEMENTING: Name or type of string was Oil String . Information
provided by the Customer Company states that the casing was7 in. O.D.
set in $\frac{8}{}$ inch hole, and that the casing depth set was 3310 feet.
For this job the following materials were used:
1/1# Cello Flake per sack 700 Sx. Class C 2% Lodense Slurry 100 Sx. Class C Neat Initial cement job
360 Sx. Class C 2% Lodense Slurry 1/4# Cello Flake per sack outside job
An estimated 10 sacks of excess cement was circulated out of the well.
sacks of excess cement was effectated out of the well.
CEMENT PLUG: Information provided by the Customer Company states that the
hole size wasinches, and total depth wasfeet. For
this job the following materials were used to place plugs as indicated:
Plug fromft. toft. withsacks of
SIGNED: BYRON JACKSON INC.

DATE: 6-18-75

