

Form 9-331  
(May 1963)UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE  
(Other instructions on reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 13276

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wallen Federal

9. WELL NO.

8-y

10. FIELD AND POOL, OR WILDCAT Pool

Teas, Yates, Seven River

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec 17, T 20 S, R 34 E

12. COUNTY OR PARISH 13. STATE

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Walter W. Krug DBA Wallen Production Company

3. ADDRESS OF OPERATOR

P. O. Box 1960, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)

At surface

2310' F S L and 2335' F W L

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 3614

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETION

SHOOT OR ACIDIZE

ABANDON\*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT\*

(Other) Cementing 7" salt string

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

We set 3258' of 7"=23#/ft in an 8" hole up to 1000 feet where the hole size changed to 10" up to 614 feet where the hole size again changed to 12½" hole and it went up to 268' where the hole size was 15' up to the surface of the ground and we cemented this string with 1150 sacks of class "c" cement with 2% gel and 1/4# cello-flake per sack. 128 bbls of cement (448 sacks) went into pit.

United States Department of the Interior  
Geological Survey on location.

18. I hereby certify that the foregoing is true and correct

SIGNED

Walter W. Krug


TITLE Engineer

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE



DATE 12-20-1975

DATE

\*See Instructions on Reverse Side

RECEIVED

1568 1975

U.S. CONSERVATION COMMISSION  
WASH. D. C.