

UNIT STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUBMIT IN TRIPLIC  
(Other instructions o.  
verse side)

Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 13276

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT--" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER

2. NAME OF OPERATOR

Walter W. Krug DBA Wallen Production Company

3. ADDRESS OF OPERATOR

P. O. Box 1960 Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

990 FEL and 2310 FSL

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wallen Federal

9. WELL NO.

#9

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 20, T 20S, R 34E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 3649

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

PULL OR ALTER CASING

☐  
☐  
☐  
☐  
☐

MULTIPLE COMPLETE

ABANDON\*

CHANGE PLANS

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐  
☐  
☐  
☐  
☐

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT\*

plugging

☐  
☐  
☒  
☐  
☐

(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- A. We cemented with 300 sacks of class "C" cement with 2% Lo Dense from 3322' to 1877'
- B. Then we placed an additional 100 sack plug of class "C" cement with 2% Lo Dense from 1877'-1350'
- C. Finally we put a 50 sack plug of class "C" cement with 2% Lo Dense from 300' to 205', up inside the 13 3/8" surface pipe 13'.

We used 2 3/8" EUE tubing to place the cement plugs.

~~NOTE: This well was abandoned and plugged back to the surface.~~  
9-23-76 - placed surface plug  
and set well marker. P+Add.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Walter W. Krug*

TITLE Engineer

DATE 9/28/76

(This space for Federal or State office use)

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

APPROVED

MAY 24 1978

ACTING DISTRICT ENGINEER

APPROVED

RECEIVED

MAY 01 1978

RECEIVED  
MAY 01 1978  
MAY 01 1978

BJ-HUGHES Inc.

C E M E N T I N G

A F F I D A V I T

I, Warren Allen, being of lawful age and having full knowledge of the facts herein below set out do state:

I am employed by BJ-HUGHES Inc. and on September 24, 1976 BJ-HUGHES Inc. performed the cementing operation herein described for Wallen Production Co. on their Well No. #9 on the Wallen Fed. lease located in Lea County, State of New Mexico.

CASING CEMENTING: Name or type of string was \_\_\_\_\_.  
Information provided by the Customer Company states that the casing was \_\_\_\_\_ in. O.D. and set in \_\_\_\_\_ inch hole, and that the casing depth set was \_\_\_\_\_ feet. For this job the following materials were used:

An estimated \_\_\_\_\_ sacks of excess cement was circulated.

CEMENT PLUG: Information provided by the Customer Company states that the hole size was 8 inches, and total depth was 3322 ft. For this job the following materials were used to place plugs as indicated:

Plug from <u>3322</u> ft	to <u>1877</u> ft	with <u>300</u> Sx of <u>BJ Lodense 9-21-76</u>
<u>1877</u>	<u>1350</u>	<u>100 BJ Lodense 9-22-76</u>
<u>300</u>	<u>same 205</u>	<u>50 BJ Lodense 9-24-76</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____

SIGNED: BJ-HUGHES Inc.

By: Gene Smith - maha Smith - Warren Allen

Date: Sept. 24, 1976

RECEIVED

MAY 8 1978

60 CONSERVATION DIVISION  
BUREAU OF LAND MANAGEMENT

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE  
(Other instructions on  
reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 13276

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

## SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Walter W. Krug DBA Wallen Production Company

3. ADDRESS OF OPERATOR

P. O. Box 1960 Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.\*  
See also space 17 below.)  
At surface

990 F E L and 2310 F S L

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Wallen Federal

9. WELL NO.

# 9

10. FIELD AND POOL, OR WILDCAT

Undesignated

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec 20, T 20 S, R 34 E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 3649

12. COUNTY OR PARISH

Lea

13. STATE

New Mexico

16.

## Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☒CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

Because the lime is too low the well would be a salt water well, therefore:-

A. We will put a 305 sack of class "c", with 2% A-2 type, cement plug from 3320' to 1450'.

B. Fill from 1450' to bottom of surface casing with mud(80 lbs).

C. Put 50 sack of class "c", with 2% A-2 cement plug over 13 3/8" casing shoe.

D. Then put 10 sack plug in top of casing with a 4' X 4 1/2" casing marker sticking out of ground.

18. I hereby certify that the foregoing is true and correct

SIGNED

*Walter W. Krug*

TITLE

Engineer

DATE

9/19/1976

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED

OCT 7 1976

\*See Instructions on Reverse Side

ARTHUR R. BROWN  
DISTRICT ENGINEER

RECEIVED

MAY 8 1978

OH CONSERVATION COMM,  
HOHES, N. M.