

N. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>
1. Name of Operator Amoco Production Company		
2. Address of Operator P.O. Drawer "A", Levelland, Texas 79336		
3. Location of Well UNIT LETTER <u>G</u> <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>1</u> TOWNSHIP <u>19-S</u> RANGE <u>36-E</u> N.M.P.M.		

7. Unit Agreement Name
8. Farm or Lease Name State "B"
9. Well No. 3
10. Field and Pool, or Willcat Eumont - Queen
12. County Lea

15. Elevation (Show whether DF, RT, GR, etc.)
3736.5 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:	
REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Evaluated well and determined well was not commercially productive. Propose to plug and abandon well using the following procedure. Spot 35 sx Class H cement plug 4200'-4100'; spot 65 sx Class H cement plug 3350'-3200', spot 75 sx Class cement plug 2755'-2605'; spot 50 sx Class H cement plug 1583'-1453; spot 45 sx Class H cement plug 1028'-988'; spot 10 sx Class H cement plug at surface. Clean and level location.

Released rig 11/26/78.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Dennis Evans</u>	TITLE <u>Assist. Admin. Analyst</u>	DATE <u>11/30/78</u>
APPROVED BY <u>Orig. Signed By Jerry Sexton</u>	TITLE <u>Dist. 1, Supv.</u>	DATE <u>DEC -4 1978</u>
CONDITIONS OF APPROVAL: <u>O& 4 NMOCC 1-Susp 1-Div 1-DE</u>		