



Petroleum Information

© Copyrighted - All Rights Reserved

COUNTY LEA FIELD Hobbs STATE NM
 OPR AMOCO PRODUCTION CO. API 30-G25-26118
 NO 123 LEASE South Hobbs (GBSA) Unit MAP
 Sec 6, T19S, R38E CO-ORD
 2390 FNL, 150 FEL of Sec RE 3-4-32 NM
 3 mi SW/Hobbs SPD 5-19-82 CMP 1-14-83

CSC

11 3/4-1433-850 sx
 8 5/8-3907-1400 sx
 5 1/2-4284-125 sx
 5 1/2-3669-575 sx (Tieback)

WELL CLASS: INIT DX FINDO		LSE. CODE	
FORMATION	DATUM	FORMATION	DATUM
TD 4286 (SADR)		PBD 4276	

IP (Grayburg-San Andres) Perfs 3956-4030 P 24 BOPD + 428 BW.
 Pot based on 24 hr test. GOR TSTM; gty (NR)

CONTR OPRSELEV 3620 GL sub-s

3-21-83 F.R.C. 3-26-83 OWWO
 PD 4276 WO
 (Orig. Cmp. 8-7-80 thru (Grayburg-San Andres)
 Perfs 4131-64, OTD 4286, OPB 4170; OWWO & Re-Cmp.
 11-23-81 thru (Grayburg-San Andres) Perfs 4131-
 64, OTD 4286, OPB 4170)
 TD 4286; PBD 4276; Complete
 DO to 4280
 Perf (Grayburg-San Andres) 3956-62, 3970-76,
 3986-90, 3996-4001, 4024-30 w/2 SPF
 Acid (3956-4164) 6000 gals
 Ppd wtr w/SG (3956-4164)
 RBP @ 3819
 Ran 5 1/2 tieback Csg
 DO to 4275
 Ret @ 4039
 Sqzd (4131-64) 150 sx

3-4-32 NM

LEA
AMOCO PRODUCTION CO.

Hobbs
123 South Hobbs (GBSA)
Unit
Sec 6, T19S, R38E

NM
Page #2

3-21-83 Continued
 DO to 4276
3-26-83 COMPLETION ISSUED

3-4-32 NM
IC 30-025-70188-83



COUNTY	LEA	FIELD	Hobbs	STATE	NM
OPR	AMOCO PRODUCTION CO.			API	MN 26118
NO	123	LEASE	South Hobbs (Grayburg-San Andres)/		MAP
	Sec 6, T19S, R38E		/Unit		COORD
	2390 FNL, 150 FEL of Sec		2-4-43 NM		
	3 mi SW/Hobbs		RE SPD 10-12-81 RE MP 11-23-81		
CSC	WELL CLASS: INIT DX FIN DO LSE CODE				
11 3/4-1433-850 sx	FORMATION		DATUM		
8 5/8-3907-1400 sx					
5 1/2-4284-125 sx					
	TD 4286 (SADR)		PRD 4170		

IP (Grayburg-San Andres) Perfs 4131-64 P 22 BOPD + 27 BW. Pot based on 24 hr test. GOR 318; gtv (NR)

CONTR OPERATES 3620 GL sub-s

2-22-82

F.R.C. 2-27-82 OWWO
 PD 4170 WO (Grayburg-San Andres)
 (Orig. cmp 8-7-80 thru (Grayburg-San Andres)
 Perfs 4131-64, OTD 4286, OPB 4170)
 TD 4286; PRD 4170; Complete
 CIBP @ 4125
 Perf (San Andres) 4080-94, 4110-24
 Acid (4080-4124) 550 gals
 Swbd wtr w/SSG (4080-4124)
 Ret @ 3990
 Sqzd (4080-4124) 250 sx
 DO to 4125
 Perf (San Andres) 4054-66
 Acid (4054-66) 1000 gals
 Ppd 439 BW in 24 hrs (4054-66)
 Ret @ 3954
 Sqzd (4054-66) 150 sx
 DO to 4170

2-4-43 NM

LEA

AMOCO PRODUCTION CO.

Hobbs

NM

123 South Hobbs (Grayburg- Page #2
San Andres) Unit
Sec 5, T19S, R38E

2-22-82

Continued

Perf (San Andres) 4131-38, 4144-54, 4156-64
w/4 SPF

2-27-82

Acid (4131-64) 3000 gals
COMPLETION ISSUED

2-4-43 NM

IC 30-025-70175-82



COUNTY	LEA	FIELD	Hobbs	STATE	NM																																				
OPR	AMOCO PRODUCTION CO.			API	30-025-26118																																				
NO	123	LEASE	South Hobbs (GSA) Unit		MAP																																				
	Sec 6, T19S, R38E				CO-ORD																																				
	2390' FNL, 150' FEL of Sec				2-1-10 NM																																				
	3 mi SW/Hobbs				SPD 11-8-78 CMP 8-7-80																																				
CSC	<table border="1"> <tr> <td colspan="2">WELL CLASS: INIT</td> <td colspan="2">D FIN</td> <td colspan="2">DO LSE. CODE</td> </tr> <tr> <td>FORMATION</td> <td>DATUM</td> <td>FORMATION</td> <td>DATUM</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ID</td> <td colspan="2">4286' (SADR)</td> <td>PBD</td> <td colspan="2">4170'</td> </tr> </table>					WELL CLASS: INIT		D FIN		DO LSE. CODE		FORMATION	DATUM	FORMATION	DATUM																					ID	4286' (SADR)		PBD	4170'	
WELL CLASS: INIT		D FIN		DO LSE. CODE																																					
FORMATION	DATUM	FORMATION	DATUM																																						
ID	4286' (SADR)		PBD	4170'																																					
	11 3/4" at 1433' w/850 sx 8 5/8" at 3907' w/1400 sx 5 1/2" at 4284' w/125 sx																																								

IP (Grayburg-San Andres) Perfs 4131-64' P 3 BOPD + 8 BW. Pot
based on 24 hr test. GOR (NR); gty (NR)

CONTR	Cactus#67	OPRSELEV	3620' GL	PD	4275' RT
-------	-----------	----------	----------	----	----------

	F.R. 10-30-78
	(Grayburg-San Andres)
11-10-78	Drlg 702' RB & anhy
11-21-78	Drlg 3440'
11-27-78	TD 3918'; WOC
12-8-78	TD 3918'; Prep DOC
12-11-78	TD 3918'; Trip
12-21-78	TD 4286; Prep Test
9-8-80	TD 4286', PBD 4170' Complete
	Perf (Grayburg-San Andres) 4131-38', 4144-54',
	4156-64', w/2SPF
	Acid (4131-64') 500 gals
	LOG TOPS: Grayburg 3940', San Andres 4044',
	LOGS RUN: CNDL, DILL, MICL
	Rig Released 11-27-78
2-3-79	COMPLETION ISSUED
9-13-80	RE-ISSUE OF SUSPENDED COMPLETION

2-1-10 NM
IC 30-025-70372-78