

UNITED STATES P. O. BOX 1980
ROSWELL, NEW MEXICO 88210
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☐ gas well ☒ other

2. NAME OF OPERATOR
ESTORIL PRODUCING CORPORATION

3. ADDRESS OF OPERATOR
11th Floor Vaughn Bldg, Midland, Tx

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1980' FSL & 1980' FEL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input type="checkbox"/>
(other) <u>PROGRESS REPORT</u>		

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-23-82 Set CIBP @ 10,750'. Capped w/35' cmt. using dump bailer. POH w/WL. PU Baker CIBP, WIH, set CIBP @ 8275'. capped w/35' cmt. Using dump bailer. TOP of Bonespring Formation @ 8282'. New PBTD of 8240'. WIH w/102 jts. of 2-3/8" tbg. POH. LD 102 jts. of 2-3/8" tbg. Ran perf. gun. Perfed. 5-1/2" csg. in Brushy Canyon Formation w/1 SPF as follows: 7594-7610' = 17 holes. RD WL Unit. PU 5-1/2" Haliburton RTTS Pkr. on 2-3/8" tbg. WIH. SI & SD.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED David E. Clark TITLE PROD. CLERK DATE 6-25-82

ACCEPTED FOR RECORD

(This space for Federal or State office use)

(ORIG. FILED) DAVID E. CLARK

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL: _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side