H. M. UP GUNS. BENIMISEISH

P. O. By 1980

HOBBS, NEW MEXICO \$8246

Form Approved. Budget Bureau No. 42-R1424

UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME
reservoir. Use Form 9-331-C for such proposals./	8. FARM OR LEASE NAME
1. oil gas K other	Federal PL 14 9. WELL NO.
2. NAME OF OPERATOR	9. WELL NO.
Belco Petroleum Corporation	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Wildcat
	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA
below.) 1980 FSL and FEL	Sec 14, T20S, R32 E
AT SURFACE: X	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	Lea Co. NM.
	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	T6077
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	3539 GR
TEST WATER SHUT-OFF	(NOTE: Report results of multiple to mip (ent) of zone change on rolling 12 1981 Oil & GAS U.S. GEOLOGICAL SURVEY ROSSVELL, NEW MEXICO
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is different measured and true vertical depths for all markers and zones pertinent 4/2/81 Depth 70'. Drilling surface rx. Spudded 4-2-4/3/81 Depth 390'. Drilling red beds and anhy. Surface rx. Spudded 4-2-4/3/81 Depth 916'. Drilling red beds. Survey 1 deg 4/5/81 Depth 1100' ID BHA. 4/6/81 Depth 1100' Opened 17½" hole to 26" in 4½ hole 4/7/81 Depth 1100'. Trip to check shock sub. Open 4/8/81 Depth 1100'. Opened 17½" hole to 26". 4/9/81 Depth 1100'. SD rig Repair. 4/10/81 Depth 1100'. Drilling 547'. Drill 233' of 2/4/11/81 Depth 1100'. Drilling 347'. Drill 233' of 2/4/11/81 Depth 1100'. Drilling 26" hole to 882'. 4/13/81 Depth 1100'. Drilling 26" hole to 960'. 18. Thereby certify that the foregoing is true and correct signed that the foregoing is frue and correct signed that the foregoing is true and correc	irectionally drilled, give subsurface locations and to this work.)* 81. vey ¼ deg at 216'. at 705'. furs. 17½" hole to 26" to 231'. 6" hole in 18 hours. by 1 deg at 695'. Set @Ft.
	DATE

U.S. GEOLOGICAL SURVEY ROSWELL, NEW MEXICO | See Instructions on Reverse Side