

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.)

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR Jake L. Hamon MAY 18 1981

3. ADDRESS OF OPERATOR U.S. GEOLOGICAL SURVEY
HOBBS, N.M. 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface 660' FEL and 1650' FSL, Sec. 17, T-20-S, R-36-E

7. UNIT AGREEMENT NAME COM AGR No. SW 437

8. FARM OR LEASE NAME Amerada Federal

9. WELL NO. 3

10. FIELD AND POOL, OR WILDCAT North Osudo Morrow Gas

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 17, T-20-S, R-36-E

12. COUNTY OR PARISH Lea 13. STATE New Mexico

14. PERMIT NO. _____ 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3609.1' GR

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <u>Set & Cement Liner</u> <input checked="" type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Drilled 6-1/8" hole to T.D. of 11,320' KB
2. Ran 16 joints 680.62' of 4-1/2", 15.10#, C-75, SFJ-P liner set at 11,318' K.B. with top of liner at 10,623.47' K.B.
3. Cemented as follows: Pumped 20 bbls SAM-5 spacer mixed at 14# per gallon, 120 sx Class H cement + 0.6% Halad 22-A + 0.4% CFR-2 + 5# KCl per sack. Job completed at 4:30 PM 5/8/81.

18. I hereby certify that the foregoing is true and correct

SIGNED _____ TITLE Petroleum Engineer DATE 5-13-81

(This space for Federal or State office use)
ACCEPTED FOR RECORD
APPROVED BY ROGER A. CHAPMAN
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____ DATE _____

MAY 19 1981
U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side