

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form
Supplement G-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.


Operator Dewey G. Sparger			Lease Terri		Well No. 1
Unit Letter H	Section 22	Township 19 S	Range 38 E	County Lea	
Actual Footage Location of Well: 1980 feet from the North line and 660 feet from the East line					
Ground Level Elev. 3604	Producing Formation Yates		Pool Wildcat	Dedicated Acreage: 160 Acres	

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.


Name
Dorinda Walter
Position
Agent
Company
Dewey G. Sparger
Date
10/14/87

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed

Registered Professional Engineer and/or Land Surveyor

Certificate No.



RECEIVED
OCT 14 1987
OCD
HOBBS OFFICE

WRS COMPLETION REPORTCOMPLETIONS SEC 22 TWP 19S RGE 38E
PI# 30-T-0007 02/13/87 30-025-27515-0001 PAGE 1NMEX LEA * 198FNL 66FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
ARROWHEAD OIL WSX WS
OPERATOR WELL CLASS INIT FIN

1 TONI

WELL NO. LEASE NAME

3604GR

WILDCAT

OPER ELEV

FIELD/POOL AREA

API 30-025-27515-0001

LEASE TYPE NO. PERMIT OR WELL I.D. NO. D&AW
12/26/1986 01/08/1987

SPUD DATE COMP. DATE TYPE TOOL STATUS

3500 SVN RVRS NOT RPTD

PROJ. DEPTH PROJ. FORM CONTRACTOR

DTD 8000

OTD 8000 FM/TD DEVONIAN

DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

4 MI S HOBBS, NM

PRODUCTION TEST DATAPTS 1UW
SN ANDRS PERF W/ 20/IT 3404- 3409
PERF 3404- 3409
ACID 3404- 3409 250GALS
10%
RBP 3404- 3409 DEPTH 3380
SWBD 100% WTRPTS 1UW
SN ANDRS PERF W/ 10/IT 3350- 3356
PERF 3350- 3356
ACID 3350- 3356 250GALS
15% HCL
SWBD 100% WTRPTS 1UW
SN ANDRS PERF 3350- 3356
ACID 3350- 3356 2000GALS
15% NEFE
SWBD 100% WTR**LOGS AND SURVEYS /INTERVAL, TYPE/**

LOGS

GR

PDC

CONTINUED IC# 300257032886

Copyrighted 1987
Reproduction
Prohibited**Petroleum Information****DB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 187

COMPLETIONS SEC 22 TWP 19S RGE 38E
PI# 30-T-0007 02/13/87 30-025-27515-0001 PAGE 2

ARROWHEAD OIL

WSX WS

1

TONI

DRILLING PROGRESS DETAILS

ARROWHEAD OIL

BOX 548

ARTESIA, NM 88201

505-748-3436

OWWO: OLD INFO: FORMERLY ALPHA 21 PROD 1 TONI.

ELEV 3604 GR. SPUD 8/30/81. 13 3/8 @ 358 W/375

SX, 8 5/8 @ 3237 W/1150 SX, 5 1/2 @ 8000 W/1300

SX. LOG TOPS: TUBB 6514, ABO 7140, DEVONIAN

7874. OTD 8000. PB 7815. COMP 10/18/81. IPF 240

BOPD. PROD ZONE: DRINKARD 7553-7650. PLUGGED

PRODUCER 6/19/85.

11/19 LOC/1986/

02/10 CO TO 3541

02/10 8000 TD

COMP 1/8/87, D&A

WRS COMPLETION REPORTREISSUES SEC 22 TWP 19S RGE 38E
PI# 30-T-0009 01/18/88 30-025-27515-0002 PAGE 1NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
SPARGER DEWEY G WSX WSD
OPERATOR WELL CLASS INIT FIN1 TONI
WELL NO. LEASE NAME
3604GR NADINE
OPER ELEV FIELD/POOL/AREALEASE TYPE/NO. PERMIT OR WELL I.D. NO.
08/01/1987 10/12/1987 WO-UNIT GAS-WO
SPUD DATE COMP. DATE TYPE TOOL STATUS3110 YTS-SVRV NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 8000 PB 3112 OTD 8000 FM/TD DEVONIAN
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.LOCATION DESCRIPTION

4 MI S HOBBS, NM

WELL IDENTIFICATION/CHANGESFIELD CHGD FROM WILDCAT
FIELD CHGD FROM UNNAMED
FINAL STATUS CHGD FROM OIL-WOTUBING DATA

TBG 2 3/8 AT 2800

INITIAL POTENTIALIPF 3BCPD 300 MCFD 3BW 10/64CK 24HRS
YATES PERF 2800- 3035 2800- 3035
PERF 2800- 3035
ACID 2800- 3035 1000GALS
15%
SWFR 2800- 3035 12500GALS 25500LBS SAND
52 TONS CO2 12/20 ADDTVGELA
TP 85 CP 300
GTY 38.0 GOR100000DRILLING PROGRESS DETAILSSPARGER DEWEY G
BOX 1112

CONTINUED IC# 300257021987

Copyrighted 1988
Petroleum
Information Corporation**Petroleum Information****DB** a company of
The Dun & Bradstreet CorporationPI-WRS-GET
Form No 187

REISSUES
PI# 30-T-0009 01/18/88 SEC 22 TWP 19S RGE 38E
30-025-27515-0002 PAGE 2

SPARGER DEWEY G
1 TONI WSX WSD

DRILLING PROGRESS DETAILS

HOBBS, NM 88240
505-392-3353
OWWO: OLD INFO: FORMERLY ARROWHEAD OIL #1 TONI
ELEV 3604 GR. SPUD 12/26/86. 13 3/8 @ 358
W/375 SX, 8 5/8 @ 3237 W/1150 SX, 5 1/2 @ 8000
W/1300 SX. OTD 8000. COMP 1/8/87. D&A.
07/31 LOC/1987/
11/02 CO TO 3112
11/02 8000 TD, PB 3112
COMP 10/12/87, IPF 3 BC, 300 MCFG, 3 BWPD,
10/64 CK, GOR 100000, GTY
38, FTP 85, FCP 300
PROD ZONE - YATES 2800-3035
11/02 YATES DISCOVERY - SHALLOWER POOL
01/11 REISSUED TO CORRECT FIELD, IP, FINAL
STATUS
REPLACEMENT FOR CT ISSUED 11/9/87

WRS COMPLETION REPORTCOMPLETIONS SEC 22 TWP 19S RGE 38E
PI# 30-T-0010 11/09/87 30-025-27515-0002 PAGE 1NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
SPARGER DEWEY G WSX WSD
OPERATOR WELL CLASS INIT FIN
1 TONI
WELL NO. LEASE NAME
3604GR UNNAMED
OPER ELEV FIELD POOL AREAAPI 30-025-27515-0002
LEASE TYPE NO. PERMIT OR WELL I.D. NO.
08/01/1987 10/12/1987 WO-UNIT OIL-WO
SPUD DATE COMP. DATE TYPE TOOL STATUS
3110 YTS-SVRV NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 8000 PB 3112 OTD 8000 FM/TD DEVONIAN
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.**LOCATION DESCRIPTION**

4 MI S HOBBS, NM

WELL IDENTIFICATION/CHANGES

FIELD CHGD FROM WILDCAT

TUBING DATA

TBG 2 3/8 AT 2800

INITIAL POTENTIALIPF 3BOPD 300 MCFD 3BW 10/64CK 24HRS
YATES PERF 2800- 3035
PERF 2800- 3035
ACID 2800- 3035 1000GALS
15%
SWFR 2800- 3035 12500GALS 25500LBS SAND
52 TONS CO2 12/20
TP 85 CP 300
GTY 38.0 GOR100000
ADDTVGELA**DRILLING PROGRESS DETAILS**SPARGER DEWEY G
BOX 1112
HOBBS, NM 88240
505-392-3353

CONTINUED IC# 300257021987

COMPLETIONS SEC 22 TWP 19S RGE 38E
PI# 30-T-0010 11/09/87 30-025-27515-0002 PAGE 2

SPARGER DEWEY G

WSX WSD

1 TONI

DRILLING PROGRESS DETAILS

OWWO: OLD INFO: FORMERLY ARROWHEAD OIL #1 TONI
ELEV 3604 GR. SPUD 12/26/86. 13 3/8 @ 358
W/375 SX, 8 5/8 @ 3237 W/1150 SX, 5 1/2 @ 8000
W/1300 SX. OTD 8000. COMP 1/8/87. D&A.
07/31 LOC/1987/
11/02 CO TO 3112
11/02 8000 TD, PB 3112
COMP 10/12/87, IPF 3 BO, 300 MCFG, 3 BWPD,
10/64 CK, GOR 100000, GTY
38, FTP 85, FCP 300
11/02 PROD ZONE - YATES 2800-3035
YATES DISCOVERY - SHALLOWER POOL

WRS COMPLETION REPORT

REISSUES SEC 22 TWP 19S RGE 38E
PI# 30-T-0012 03/09/87 30-025-27515-0001 PAGE 1

NMEX LEA * 1980FNL 660FEL SEC SE NE
STATE COUNTY FOOTAGE SPOT
ARROWHEAD OIL WSX WS
OPERATOR WELL CLASS INIT FIN

1 TONI
WELL NO. LEASE NAME
3604GR WILDCAT
OPER ELEV FIELD/POOL/AREA

API 30-025-27515-0001

LEASE TYPE/NO. PERMIT OR WELL I.D. NO. D&AW
12/26/1986 01/08/1987
SPUD DATE COMP. DATE TYPE TOOL STATUS

3500 SVN RVRS NOT RPTD
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 8000 OTD 8000 FM/TD DEVONIAN
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

4 MI S HOBBS, NM

WELL IDENTIFICATION/CHANGES

FTG CHGD FROM 198 FNL 66 FEL

PRODUCTION TEST DATA

PTS 1UW
SN ANDRS PERF W/ 20/IT 3404- 3409
PERF 3404- 3409
ACID 3404- 3409 250GALS
10%
RBP 3404- 3409 DEPTH 3380
SWBD 100% WTR

PTS 1UW
SN ANDRS PERF W/ 10/IT 3350- 3356
PERF 3350- 3356
ACID 3350- 3356 250GALS
15% HCL
SWBD 100% WTR

PTS 1UW
SN ANDRS PERF 3350- 3356
ACID 3350- 3356 2000GALS
15% NEFE
SWBD 100% WTR

CONTINUED IC# 300257032886

Copyrighted 1987
Reproduction
Prohibited

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

PI-WRS-GET
Form No 187

REISSUES SEC 22 TWP 19S RGE 38E
PI# 30-T-0012 03/09/87 30-025-27515-0001 PAGE 2

ARROWHEAD OIL WSX WS
1 TONI

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS GR PDC

DRILLING PROGRESS DETAILS

ARROWHEAD OIL

BOX 548
ARTESIA, NM 88201
505-748-3436

OWWO: OLD INFO: FORMERLY ALPHA 21 PROD 1 TONI.
ELEV 3604 GR. SPUD 8/30/81. 13 3/8 @ 358 W/375
SX, 8 5/8 @ 3237 W/1150 SX, 5 1/2 @ 8000 W/1300
SX. LOG TOPS: TUBB 6514, ABO 7140, DEVONIAN
7874. OTD 8000. PB 7815. COMP 10/18/81. IPF 240
BOPD. PROD ZONE: DRINKARD 7553-7650. PLUGGED
PRODUCER 6/19/85.

11/19 LOC/1986/
02/10 CO TO 3541
02/10 8000 TD
COMP 1/8/87, D&A
03/03 REISSUED TO CORRECT FIG
REPLACEMENT FOR CT ISSUED 2/13/87

COUNTY	LEA	FIELD	Nadine	STATE	NM
OPR	ALPHA TWENTY-ONE PRODUCTION CO.			API	30-025-27515
NO	1	LEASE	Toni	MAP	
	Sec 22, T19S, R38E			COORD	
	1980 FNL, 660 FEL of Sec				11-2-43 NM
	4 mi S/Hobbs			SPD	8-30-81
				CNP	10-18-81
CSC	WELL CLASS: INITWD FIN DO LSE. CODE				
13 3/8-358-375 sx	FORMATION	DATUM	FORMATION	DATUM	
8 5/8-3237-1150 sx					
5 1/2-8000-1300 sx					
	TD 8000 (DVNN)		PBD 7815		

IP (Drinkard) Perfs 7553-7650 F 240. Pot based on 24 hr test thru 24/64 chk, GOR 458; gty (NR); CP Pkr; TP 50

CONTR	Kenai #15	OPRSELEV	3604 GL	sub-s	12
-------	-----------	----------	---------	-------	----

11-14-81 F.R. 8-17-81
PD 8000 RT (Drinkard)
AMEND FIELD & ZONE: Formerly reported as Wildcat (Devonian)
9-15-81 Drlg 3978
9-21-81 Drlg 5825
9-24-81 Drlg 6555
10-6-81 TD 8000; WOCU
11-9-81 TD 8000; PBD 7815; Complete
Perf (Abo) 7553-7650 (overall)
Acid (7553-7650) 1000 gals
LOG TOPS: Rustler 1613, Yates 2820, Queen 3580, San Andres 4224, Glorieta 5492, Blinbry 5954, Tubb 6514, Abo 7140, Devonian 7874
11-14-81 COMPLETION ISSUED

11-2-43 NM
IC 30-025-70420-81