

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

OIL CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-7

5a. Indicate Type of Lease

State ☒ Fee ☐

5. State Oil & Gas Lease No.

E-5231

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

7. Unit Agreement Name

8. Farm or Lease Name

Bass State

9. Well No.

6

10. Field and Pool, or Wildcat

Salt Lake Yates

OIL
WELL ☒

GAS
WELL ☐

OTHER ☐

Name of Operator

Minerals, Inc.

Address of Operator

P. O. Box 1320 - Hobbs, NM 88240

Location of Well

UNIT LETTER C 330 FEET FROM THE North LINE AND 1650 FEET FROM

THE West LINE, SECTION 18 TOWNSHIP 20S RANGE 33E NMPM.

15. Elevation (Show whether DF, RT, GR, etc.)

3523.6 G, L.

12. County

Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

INFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

COMMENCE DRILLING OPNS. ☒

PLUG AND ABANDONMENT ☐

WELL OR ALTER CASING ☐

CHANGE PLANS ☐

CASING TEST AND CEMENT JOBS ☒

OTHER ☐

OTHER ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1-30-83 Spud 12-1/4" hole 7:00 PM.

1-31-83 Ran 28 jts 8-5/8" 24# ST&C csg to 1114'. Cmt'd w/335 sx of Lite III w/10# D-44 & 1/4# D-29 followed by 200 sx Class 'C', tail in w/2% S-1 & 1/4# D-29. Circ 170 sx cmt. OCD (Hobbs Office) advised of cementing in time to witness - did not show.

2-1-83 Drill 7-7/8" hole to 1892'.

2-3-83 Ran 76 jts 5-1/2" 14# J-55 csg to 3022'. Cmt'd w/660 sx Lite w/5# D-44, 1/4# D-29 followed by 200 sx Class 'C' w/6# D-44, 1/4# D-29. Circ 65 sx cmt to surface.

Propose to RU Cable Tool & drill to approx 3075'. Exact TD to be determined by Staff Geologist.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton

TITLE Vice President, Engineering

DATE February 4, 1983

ORIGINAL SIGNED BY JERRY SEXTON

DISTRICT I SUPERVISOR

TITLE


DATE FEB 9 1983

ADDITIONS OF APPROVAL, IF ANY:

RECEIVED

FEB 8 1983

O.C.D.
HOBBS OFFICE



LTR



Job separation sheet

MINERALS, INC.

P. O. Box 1320

PHONE 505 393-2153

HOBBS, NEW MEXICO 88240

AL KLAAR
VICE-PRESIDENT
ENGINEERING

January 18, 1983

Oil Conservation Division
Hobbs, N.M. 88240

Attention: Mr. Jerry Sexton

Dear Mr. Sexton:

After a thorough investigation, Jamie Murdoch of the mining section of the U.S.G.S. in Carlsbad informed us that there are no potash mines or leases within a one mile radius of our proposed location. We have submitted the necessary forms for your approval.

Very truly yours,

MINERALS, INC.



Al Klaar
Vice-President, Engineering

MO'B/bj

xc: Mr. Donald L. Garey

Minerals File No. MI.01.07.83

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILL	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5A. Indicate Type of Lease
STATE <input checked="" type="checkbox"/> REC <input type="checkbox"/>
5. State Oil & Gas Lease No.
E-5231

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

Type of Work

DRILL ☒DEEPEN ☐PLUG BACK ☐

Type of Well

H ☒GAS WELL ☐

OTHER

SINGLE ZONE ☐MULTIPLE ZONE ☐

Name of Operator

Minerals, Inc.

Address of Operator

P.O. Box 1320, Hobbs, New Mexico 88240

Location of Well

UNIT LETTER C.

LOCATED 330

FEET FROM THE North

LINE

1650

FEET FROM THE

West

LINE OF SEC. 18

TWP. 20S

RGE. 33E

NMPM

7. Unit Agreement Name

8. Farm or Lease Name

Bass State

9. Well No.

6

10. Field and Pool, or Wildcat

Salt Lake Yates

12. County

Lea

19. Proposed Depth	19A. Formation	20. History or C.T.
3075	Yates	Rot. to 3000/C.T. to
21A. Kind & Status Plug. Bond	21B. Drilling Contractor	22. Approx. Date Work will start
Blanket	Not available at this time	2-15-83

PROPOSED CASING AND CEMENT PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF CEMENT	EST. TOP
12-1/4"	8-5/8"	24#	1100'	700 (est.)	Circ. to surf.
7-7/8"	5-1/2"	15.5#	3000'	900 (est.)	Circ. to surf.

Propose to drill w/conventional Rotary rig to 3000', then by cable tool to \pm 3075'
(exact T.D. to be determined by our staff geologist.)

APPROVAL VALID FOR 180 DAYS
PERMIT EXPIRES 2/19/83
UNLESS DRILLING UNDERWAY

OVER SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRO-
DUCE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY.

I certify that the information above is true and complete to the best of my knowledge and belief.

Jerry Sexton Title Vice President, Engineering Date 1-13-83

(This space for State Use)

ORIGINAL SIGNED BY

APPROVED BY JERRY SEXTON TITLE DISTRICT 1 SUPER. DATE JAN 19 1983

TIONS OF APPROVAL, IF ANY

RECEIVED
JAN 14 1983
Q.C.D.
HOBBS OFFICE