

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. LG 3566
7. Unit Agreement Name
8. Farm or Lease Name Maralo "3" State
9. Well No. 1
10. Field and Pool, or Wildcat Eumont-Y-SR-Q
12. County Lea

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-
2. Name of Operator Tamarack Petroleum Co., Inc.
3. Address of Operator 500 W. Texas, Ste 1485, Midland, TX 79701
4. Location of Well UNIT LETTER <u>M</u> , <u>330</u> FEET FROM THE <u>South</u> LINE AND <u>330</u> FEET FROM THE <u>West</u> LINE, SECTION <u>3</u> TOWNSHIP <u>19-S</u> RANGE <u>36E</u> NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 3764 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

6-25-86 Move in and rigged up Expert Well Service. Pulled out of hole with 2 3/8" tubing and 4 1/2" Baker Model "R" Packer. Ran in hole with 2 3/8" open ended tubing to 4698'. Circulated hole with 70 bbls. 9.5# salt gel mud.

6-26-86 Pulled tubing to 3360'. Rigged up Halliburton. Pumped 30 sacks Class C Cement with 2% CaCl₂ at 3360'. Pulled 10 stands tubing and shut down 3 hours. Tag plug at 3005'. Pulled tubing to 1874'. Pumped 20 sacks Class C Cement with 2% CaCl₂. Pulled tubing to 485'. Pumped 10 sacks Class C Cement with 2% CaCl₂. Pulled out of hole with tubing. Set 10 sacks Class C Cement with 2% CaCl₂ surface plug. Set dry hole marker.

8-25-86 Clean location and fill drilling pits.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>Randy A. McClay</u>	TITLE <u>Engineering Manager</u>	DATE <u>9-24-86</u>
APPROVED BY <u>R.A. Sadler</u>	TITLE <u>Commissioner</u>	DATE <u>AUG 21 1986</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED
SEP 25 1986
C. C. C.
HO2B5 OFFICE