

TEST PHASE : FLOW PERIOD # 1

TIME OF DAY	DATE	ELAPSED TIME, MIN	DELTA TIME, MIN	SURFACE PRESSURE PSIG	BOT HOLE TEMP. DEG F	BOT HOLE PRESSURE PSIA
15:30:59	1-FB	380.75	0.00	0.00	--	--

TEST PHASE : SHUTIN PERIOD # 1

FINAL FLOW PRESSURE [PSIA] = --

PRODUCING TIME [MIN] = 4.00

TIME OF DAY	DATE	ELAPSED TIME, MIN	DELTA TIME, MIN	SURFACE PRESSURE PSIG	BOT HOLE TEMP. DEG F	BOT HOLE PRESSURE PSIA	DELTA P PSI	LOG HORNER TIME
15:34:59	1-FB	384.75	0.00	0.02	--	--	--	
15:35:59	1-FB	385.75	1.00	0.02	--	--	--	
15:36:59	1-FB	386.75	2.00	0.02	--	--	--	
15:37:59	1-FB	387.75	3.00	0.02	--	--	--	
15:38:59	1-FB	388.75	4.00	0.02	--	--	--	
15:39:59	1-FB	389.75	5.00	0.02	--	--	--	
15:40:59	1-FB	390.75	6.00	0.02	--	--	--	
15:41:59	1-FB	391.75	7.00	0.02	--	--	--	
15:42:59	1-FB	392.75	8.00	0.02	--	--	--	
15:43:59	1-FB	393.75	9.00	0.02	--	--	--	
15:44:59	1-FB	394.75	10.00	0.02	--	--	--	
15:46:59	1-FB	396.75	12.00	0.02	166.1	2179.2	--	0.125
15:48:59	1-FB	398.75	14.00	0.01	166.2	2386.6	--	0.109
15:50:59	1-FB	400.75	16.00	0.02	166.3	2601.5	--	0.097
15:52:59	1-FB	402.75	18.00	0.02	166.3	2825.4	--	0.087
15:54:59	1-FB	404.75	20.00	0.01	166.4	3058.2	--	0.079
15:56:59	1-FB	406.75	22.00	0.03	166.4	3298.6	--	0.073
15:58:59	1-FB	408.75	24.00	0.03	166.5	3542.5	--	0.067
16: 0:59	1-FB	410.75	26.00	0.02	166.5	3789.1	--	0.062
16: 2:59	1-FB	412.75	28.00	0.02	166.5	4034.5	--	0.058
16: 4:59	1-FB	414.75	30.00	0.03	166.6	4273.9	--	0.054
16: 9:59	1-FB	419.75	35.00	0.04	166.6	4806.3	--	0.047
16:14:59	1-FB	424.75	40.00	0.02	166.7	5230.9	--	0.041
16:19:59	1-FB	429.75	45.00	0.02	166.7	5560.4	--	0.037
16:24:59	1-FB	434.75	50.00	0.02	166.7	5815.4	--	0.033
16:29:59	1-FB	439.75	55.00	0.01	166.8	6015.9	--	0.030
16:34:59	1-FB	444.75	60.00	-0.02	166.8	6170.1	--	0.028
16:39:59	1-FB	449.75	65.00	-0.04	166.8	6293.4	--	0.026
16:44:59	1-FB	454.75	70.00	-0.01	166.9	6392.4	--	0.024
16:49:59	1-FB	459.75	75.00	-0.01	166.9	6472.6	--	0.023
16:54:59	1-FB	464.75	80.00	-0.02	167.0	6538.7	--	0.021
16:59:59	1-FB	469.75	85.00	0.01	167.0	6593.8	--	0.020
17: 4:59	1-FB	474.75	90.00	-0.01	167.1	6640.2	--	0.019
17: 9:59	1-FB	479.75	95.00	0.01	167.1	6680.6	--	0.018
17:14:59	1-FB	484.75	100.00	0.00	167.1	6703.2	--	0.017
17:19:59	1-FB	489.75	105.00	0.00	167.1	6702.1	--	0.016
17:24:59	1-FB	494.75	110.00	-0.03	167.1	6701.2	--	0.016