

WRS COMPLETION REPORT

RE ISSUES
PI# 30-1-0005 01/09/89 SEC 35 TWP 20S RGE 34E
30-025-30471-0000 PAGE 1

NMEX LEA * 330FNL 380FWL SEC NW NW
STATE COUNTY FOOTAGE SPOT
OLSEN ENERGY
OPERATOR D DO
1 FLETCHER "A" FEDERAL
WELL NO. LEASE NAME
3731KB 3721GR
OPER ELEV LYNCH

FIELD POOL AREA
API 30-025-30471-0000
LEASE TYPE NO PERMIT OR WELL I.D. NO
09/26/1988 12/01/1988 ROTARY OIL
SPUD DATE COMP DATE TYPE TOOL STATUS
4000 YTS-SVRV TINSLEY & SON 5 RIG SUB 9
PROJ. DEPTH PRC FORM CONTRACTOR
DTD 3860 PB 3810 FM/TD SVN RVRS
DRILLERS T.D. LOG I.D. PLUG BACK TO OLD T.D. FORM T.D.

LOCATION DESCRIPTION

12 MI E HALFWAY, NM

CASING/LINER DATA

CSG 8 5/8 @ 511 W/ 290 SACKS
CSG 4 1/2 @ 3859 W/ 927 SACKS

INITIAL POTENTIAL

IPP 6BOPD 1UW 24HRS
YATES PERF W/ 13/IT 3525- 3605 GROSS
GTY 28.3 GOR TSTM

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
------	-----------	-----	---------------	---------------

LOG	YATES		3476	255
LOG	SVN RVRS		3709	22

SUBSEA MEASUREMENTS FROM KB

PRODUCTION TEST DATA

PTS 1UO
YATES PERF W/ 13/IT 3525- 3605 GROSS
PERF 3525, 3535, 3539, 3547, 3552, 3584, 3589, 3591
PERF 3593, 3594, 3596, 3600, 3605
ACID 3525- 3605 1500GALS
15%
SWFR 3525- 3605 15000GALS 26500LBS SAND

ADDTVGELA

CONTINUED IC# 300257031088

Copyrighted 1989
Petroleum
Information Corporation

Petroleum Information

BB a company of
The Dun & Bradstreet Corporation

P-WRS-GET
Form No 187

REISSUES SEC 35 TWP 20S RGE 34E
PI# 30-T-0005 01/09/89 30-025-30471-0000 PAGE 2

OLSEN ENERGY
1

FLETCHER "A" FEDERAL

D DO

PRODUCTION TEST DATA

12/20
SWBD 50% OIL

PTP 28BOPD 24HRS
YATES PERF 3525- 3605

PTP 6BOPD 1UW 24HRS
YATES PERF 3525 3605 GROSS
PPD 6 BO + 1/2 BW IN 24 HRS

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS	DLL	MLL	GR
LOGS	CNL	CDL	CAL

MISCELLANEOUS

LSE AC 40

DRILLING PROGRESS DETAILS

OLSEN ENERGY
16414 SAN PEDRO STE 470
SAN ANTONIO, TX 78232
512-496-2466
07/25 LOC/1988/
09/27 DRLG 500
10/05 3860 TD, WOCT
10/05 DEVIATION SURVEYS @ 326 (1/4 DEG), 515 (1/2 DEG)
828 (1 DEG), 1139 (1/2 DEG), 1599 (1/4 DEG),
2126 (1 DEG), 2618 (3/4 DEG), 3119 (2 DEG),
3241 (2 1/4 DEG), 3333 (2 1/2 DEG), 3425 (3/4
DEG), 3860 (2 DEG)
10/13 3860 TD, PB 3810, WO EQUIP
10/18 3860 TD, PB 3810, WO EQUIP
10/26 3860 TD, PB 3810, PREP TEST
11/02 3860 TD, PB 3810, TSTG
11/16 3860 TD, PB 3810, TOP
11/30 3860 TD, PB 3810, TOP
12/06 3860 TD, PB 3810, WOCT
RIG REL 10/01/88
12/20 3860 TD, PB 3810

CONTINUED

REISSUES
PI# 30-T-0005 01/09/89 SEC 35 TWP 20S RGE 34E
30-025-30471-0000 PAGE 3

OLSEN ENERGY
1

FLETCHER "A" FEDERAL

D DO

DRILLING PROGRESS DETAILS

01/05
COMP 12/1/88, IPP 6 BO, 1/2 BWPD,
GOR TSM, GTY 28.3
PROD ZONE - YATES 3525-3605
NO CORES OR DSTS RPTD
REISSUED TO CORRECT PROD TESTS, IP & ADD
LOG TOPS, LOGS RUN
REPLACEMENT FOR CT ISSUED 12/23/88