

WRS COMPLETION REPORTREISSUES
PI# 30-T-0023 05/08/89 SEC 29 TWP 19S RGE 36E
30-025-30539-0000 PAGE 1

NMEX LEA * 660FSL 660FEL SEC SE SE
STATE COUNTY FOOTAGE SPOT
OXY USA WP WP
OPERATOR WELL CLASS INIT FIN
1 SNYDER RANCH "A"
WELL NO. LEASE NAME
3680KB 3672GR WILDCAT
OPER ELEV FIELD/POOL AREA
API 30-025-30539-0000
LEASE TYPE NO. PERMIT OR WELL I.D. NO.
01/24/1989 03/09/1989 ROTARY D&A-OG
SPUD DATE COMP. DATE TYPE TOOL STATUS
10700 WOLFCAMP CACTUS DRLG 9 RIG SUB 15
PROJ. DEPTH PROJ. FORM CONTRACTOR
DTD 10275 FM/TD WOLFCAMP
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

LOCATION DESCRIPTION

6 MI W MONUMENT, NM
3/4 MI NE/12020 (MRRW) GAS PROD IN OSUDO N FLD

WELL IDENTIFICATION/CHANGES

ELEVS CHGD FROM 3980 KB, 3964 GR

CASING/LINER DATA

CSG 13 3/8 @ 425 W/ 400 SACKS
CSG 8 5/8 @ 3490 W/ 1950 SACKS
PLUGS SET @ 9880-10008 W/50 SX, 8740-8990 W/125 SX,
8475-8627 W/100 SX, 8270-8370 W/50 SX, 5469-5569
W/50 SX, 4669-4769 W/50 SX, 3365-3615 W/75 SX,
1642-1742 W/35 SX, SURF-100 W/10 SX

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	SVN RVRS		3710	-30		
LOG	QUEEN		4351	-671		
LOG	SN ANDRS		4776	-1096		
LOG	BONE SPG		8371	-4691		
LOG	WOLFCAMP		10015	-6335		

SUBSEA MEASUREMENTS FROM KB

FORMATION TEST DATA

DST 1 9328- 9446 BONE SPG S
REC 200.0 FT SGCM 7200.0 FT SWTR

CONTINUED IC# 300257001489

REISSUES
PI# 30-T-0023 05/08/89 SEC 29 TWP 19S RGE 36E
30-025-30539-0000 PAGE 2

OXY USA
1

SNYDER RANCH "A"

WP WP

FORMATION TEST DATA

REC .1 CFT GAS 2300.0 CC FWTR
INIT OP 15M IFP 260 FFP 1644
FINAL OP 1H IFP 1644 FFP 3582 BHT 138F
ISIP 3645 1H FSIP 3645 2H IHP 4614 FHP 4614
SPL CHAM PRESS FINAL 350

DST 2 8645- 8780 BONE SPG S
REC 410.0 FT SGCM 6300.0 FT FWTR
REC 2350.0 FT FWTR
INIT OP 15M IFP 632 FFP 2826
FINAL OP 1H30M IFP 2864 FFP 3502 BHT 125F
ISIP 3511 FSIP 3539 3H IHP 4196 FHP 4196
SPL CHAM PRESS FINAL 140

DST 3 8392- 8480 BONE SPG PKRFLRS
REC 1192.0 FT SGCM
INIT OP 15M IFP 65 FFP 78
FINAL OP 55M IFP 78 FFP 140 BHT 122F
ISIP 3338 IHP 3980 FHP 3975
LOST PACKER SEAT 55 MINS INTO FF & LOST SAMPLE CHAMBER

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS DLL ML GR
LOGS CAL

DRLG SHOWS OR POROSITY ZONES /INTERVAL,FORMATION,DESC

9828- 9828 BONE SPG STAN

DRILLING MEDIA /TYPE,DEPTH/

3142 10.6 4400 8.4 6100 8.4 8504 9.3 PPG
9828 9.2 PPG

LOST CIRCULATION /DEPTH,FORMATION/

9512 BONE SPG 9512 BONE SPG

DRILLING PROGRESS DETAILS

OXY USA

CONTINUED

WP WP

OXY USA
 1

SNYDER RANCH "A"

DRILLING PROGRESS DETAILS

BOX 50250
 MIDLAND, TX 79710
 915-685-5600
 LOC/1989/
 01/16 DRLG 3142 (ANHY, SALT)
 01/30 DRLG 4400 (ANHY, DOLO)
 02/06 DRLG 6100 (DOLO, SD)
 02/10 DRLG 8504 (SD)
 02/17 DRLG 9828 (LM, DOLO, CHERT, SLT STN)
 02/28 10275 TD, PB 8740 (DOLO), RNG DST #2
 03/06 LOST RETURNS @ 9512, SET CMT PLUG 8700-8780 &
 03/06 DOC
 DEVIATION SURVEYS @ 200 (.75 DEG), 425 (.75 DEG),
 908 (.25 DEG), 1392 (.50 DEG), 1800 (.75 DEG),
 2095 (1.25 DEG), 2383 (1.25 DEG), 2655 (1.75
 DEG), 2810 (1.75 DEG), 2933 (2 DEG), 3059 (2
 DEG), 3154 (3 DEG), 3226 (2.75 DEG), 3288 (2
 DEG), 3351 (1.50 DEG), 3500 (1 DEG), 3804 (1.75
 DEG), 4076 (3 DEG), 4220 (2 DEG), 4337 (2.25
 DEG), 4461 (2 DEG), 4595 (1.25 DEG), 4743 (1.75
 DEG), 4938 (1.75 DEG), 5115 (.75 DEG), 5330 (2
 DEG), 5428 (1.75 DEG), 5642 (2.75 DEG), 5800
 (3.25 DEG), 6020 (4 DEG), 6111 (3.25 DEG), 6236
 (3.50 DEG), 6395 (3.50 DEG), 6553 (3.75 DEG),
 6771 (3 DEG), 7005 (1.75 DEG), 7210 (1.75 DEG),
 7469 (2.25 DEG), 7719 (3 DEG), 7811 (2.75 DEG),
 8299 (4.75 DEG), 8393 (4.75 DEG), 8496 (4.75
 DEG), 8579 (4.75 DEG), 8679 (4.75 DEG), 8761
 (4.50 DEG), 8863 (4.50 DEG), 8893 (4.50 DEG),
 8947 (4.75 DEG), 9009 (4.75 DEG), 9071 (4 DEG),
 9176 (4.50 DEG), 9228 (4.50 DEG), 9323 (4.50
 DEG), 9446 (3.75 DEG), 9573 (5 DEG), 9663 (5
 DEG), 9768 (5.25 DEG), 9809 (5.75 DEG), 9882
 (6.25 DEG), 9944 (6.25 DEG), 10038 (5.50 DEG),
 10275 (5.25 DEG)
 TOTAL DISPLACEMENT 453.0983 FT @ TD
 03/13 10275 TD, HOLDING FOR DATA
 RIG REL 03/10/89
 03/22 10275 TD
 COMP 3/09/89, D&A
 NO CORES, THREE DSTS RPTD
 05/03 REISSUED TO CORRECT COMP DATE, CSGS, ELEVS

CONTINUED

REISSUES
PI# 30-T-0023 05/08/89 SEC 29 TWP 19S RGE 36E
30-025-30539-0000 PAGE 4

OXY USA
1

SNYDER RANCH "A"

WP WP

DRILLING PROGRESS DETAILS

& ADD LOG TOPS, LOGS RUN, DSTS, DEV SURV,
PLUGGING DETAILS
REPLACEMENT FOR CT ISSUED 3/27/89