

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-31112
1. Type of Well: Oil Well ☐ Gas Well ☐ Other		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator Chevron U.S.A. Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 1150 Midland, TX 79702		7. Lease Name or Unit Agreement Name: EUNICE MONUMENT SOUTH UNIT B
4. Well Location Unit Letter K : 2080 feet from the SOUTH line and 1880 feet from the WEST line Section 13 Township 20S Range 36E NMPM County LEA		8. Well No. 881
10. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. Pool name or Wildcat EUNICE MONUMENT; GRAYBURG-SAN ANDRES

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☒ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

CHEVRON PROPOSES TO TA PER THE ATTACHED PROCEDURE

THE COMMISSION HAS REVIEWED THE
HOURS PLUG TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE J. K. Ripley TITLE REGULATORY O.A. DATE 2/14/01

Type or print name J. K. RIPLEY Telephone No. (915) 687-7148

(This space for State use)

APPROVED BY _____ TITLE _____ DATE _____

Conditions of approval, if any:

EMSUB # 881
API # 30-025-31112
2080' FSL & 1880' FWL
S13-T20S, R36E, & Unit K
Eunice Monument South Unit B
Lea County, New Mexico

February 13, 2001

PROCEDURE TO TEMPORARILY ABANDON WELL:

Notify OCD/BLM 24 hrs prior to work commencing.

1. Verify anchors have been set & tested.
2. MIRU PU. ND WH. NU BOP.
3. TOH w/tbg. TIH w/4-3/4" bit, csg scraper, & WS. Make bit trip to 3720'. POH.
4. Set CIBP @ 3700'. Dump 3 sx Class 'C' cmt on CIPB.
5. TIH w/WS to TOC. Circulate csg w/corrosion inhibited pkr fluid. TOH.
6. Perform MIT (500 PSI for 30 min.).
7. ND BOP. NU WH. RD PU.
8. Clean and clear location.

T. Love 687-7645

CURRENT WELL DATA SHEET

FIELD: Eunice Monument

WELL NAME: EMSUB #881

FORMATION: Grayburg/San Andre

LOC: 2080' FSL & 1880' FWL
TOWNSHIP: 20-S
RANGE: 36-E

SEC/UNIT: 13/K
COUNTY: Lea
STATE: NM

GL: 3551'
KB to GL: 14'
DF to GL:

CURRENT STATUS:
API NO: 30-025-31112
CHEVNO: KV8490

CURRENT

8-5/8" OD 32#, Csg set @ 1070'
w/ 750 sx cmt. TOC @ surf.
(12-1/4" hole)

5-1/2" OD, 17# K55 csg set @ 4000'
w/ 600 sx cmt. Cmt Circ.
TOC @ Surf. by Calc.
(7-7/8" Hole)

3715'-30'
3734'-38'
3778'-84'
3874'-82'
3886'-92'
3908'-16'

3764'-74'
3821'-23'
3830'-32'
3841'-44'
3870'-74'
3920'-30'
3925'-30'

Date Completed: 3-10-91 Initial Formation: Grayburg- Zones 3-6 FROM: 3764' TO: 3930'	Initial Production: 19 BOPD 323 BWPD GOR 1368 cu ft / bbl
Completion Data, Workovers, and Reconditioning: Perf 3764'-3930' w/2 JHPF - (54 holes). Acdz w/3400 gals 15% NEFE HCL. Subsequent Workover or Reconditioning: 2-97 Sqz perfs from 3821' to 3844' Perf 3920'-3930'. 3908'-3916', 3886'-3892', 3874'-3882', 3778'-3784', 3734'-3738', & 3715'-3730' w/3 JSPF @ 120 deg. Acdz bottom zone w/81 bbl Resisol, II & II+, top zone w/90 bbls Resisol II & II+. Re-perf - 3764'-3774', 3778'-3784', 3734'-3738', 3715'-3730' w/3 JSPF @ 120 deg. Spot 500 gal Resisol II, brk dwn perfs. Acdz w/36 bbl Resistol II+ & 700# Trinx salt.	

PBTD @ 3957'
TD @ 4000'

FILE: WBS881.XLS
CJH 02/12/01

PROPOSED WELL DATA SHEET

FIELD: Eunice Monument

WELL NAME: EMSUB #881

FORMATION: Grayburg/San Andre

LOC: 2080' FSL & 1880' FWL
TOWNSHIP: 20-S
RANGE: 36-E

SEC/UNIT: 13/K
COUNTY: Lea
STATE: NM

GL: 3551'
KB to GL: 14'
DF to GL:

CURRENT STATUS:
API NO: 30-025-31112
CHEVNO: KV8490

PROPOSED

8-5/8" OD 32#, Csg set @ 1070'
w/ 750 sx cmt. TOC @ surf.
(12-1/4" hole)

5-1/2" OD, 17# K55 csg set @ 4000'
w/ 600 sx cmt. Cmt Circ.
TOC @ Surf. by Calc.
(7-7/8" Hole)

OCD/BLM TA PROPOSAL
Set CIBP @ 3700', Cap w/3
sx C/C'

3715'-30'
3734'-38'
3778'-84'
3874'-82'
3886'-92'
3908'-16'

CIBP @ 3700'

3764'-74'
3821'-23'
3830'-32'
3841'-44'
3870'-74'
3920'-30'
3925'-30'

Date Completed: 3-10-91 Initial Formation: Grayburg- Zones 3-6 FROM: 3764' TO: 3930'	Initial Production: <u>19</u> BOPD <u>323</u> BWPD GOR <u>1368</u> cu ft / bbl
Completion Data, Workovers, and Reconditioning: Perf 3764'-3930' w/2 JHPF - (54 holes). Acdz w/3400 gals 15% NEFE HCL. Subsequent Workover or Reconditioning: 2-97 Sqz perfs from 3821' to 3844' Perf 3920'-3930'. 3908'-3916', 3886'-3892', 3874'-3882', 3778'-3784', 3734'-3738', & 3715'-3730' w/3 JSPF @ 120 deg. Acdz bottom zone w/81 bbl Resisol, II & II+, top zone w/90 bbls Resisol II & II+. Re-perf - 3764'-3774', 3778'-3784', 3734'-3738', 3715'-3730' w/3 JSPF @ 120 deg. Spot 500 gal Resisol II, brk dwn perfs. Acdz w/36 bbl Resistol II+ & 700# Trinx salt.	

PBTD @ 3957'
TD @ 4000'

FILE: WBS881.XLS
CJH 02/12/01