

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-101
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address. Lynx Petroleum Consultants, Inc. P.O. Box 1708 Hobbs, NM 88241		OGRID Number 013645
Property Code 22337	Property Name Coyote State	API Number 30-025-31136
		Well No. 1

7 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
F	36	19S	35E		1980	North	1650	West	Lea

8 Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
S. Pearl Wildcat Wolfcamp					S. Pearl Wildcat Bone Spring				

Work Type Code P	Well Type Code O	Cable/Rotary R	Lease Type Code S	Ground Level Elevation 3676' GR
Multiple	Proposed Depth 12346'	Formation Wolfcamp	Contractor	Spud Date

21 Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
SEE INITIAL APD					

Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

Lynx intends to plugback from the North Pearl Morrow oil pool and recompleate in a Wolfcamp or Bone Spring oil pool.

Set CIBP @ 12381' and dump 35' cement on top. Perforate Wolfcamp 11056-68'. Acidize and test.

If Wolfcamp is nonproductive, will come up hole and test, setting a CIBP above any nonproductive interval:

Perforate Bone Spring 10562-72'. Acidize and test.

or Perforate Bone Spring 9310-22'. Acidize and test.

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Printed name:

Gary W. Fonay

Title:

Vice President

Date:

1/27/98

Phone:

505-392-6950

OIL CONSERVATION DIVISION

Approved by: ORIGINAL SIGNED BY

Title: GARY WINK
FIELD REP. II

Approval Date:

Expiration Date:

Conditions of Approval:

Attached ☐