

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised (1-89)

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-31173

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

CBN

8. Well No.

1

9. Pool name or Wildcat

SKAGGS ARO NORTH

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☐

OTHER ☒ SWD

2. Name of Operator

MESQUITE SERVICES INC.

3. Address of Operator

P.O. BOX 481 CARLSBAD NM 88220

4. Well Location

Unit Letter P : 467 Feet From The S Line and 467 Feet From The E Line

Section 24

Township 19S

Range 37E

NMPM

LEA

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☒

PLUG AND ABANDON ☐

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

PULL OR ALTER CASING ☐

CASING TEST AND CEMENT JOB ☐

OTHER: CONVERTING INTO A SWD ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) RIG UP PU & REVERSE UNIT
- 2) PICK UP BIT COLLARS & TUBING
- 3) TIH TO 4600 FT. DRILL UP CIBP. DRILL UP OR PUSH DOWN CIBP TO DEPTH OF 5950 FT.
- 4) SET CIBP @ 5950 FT
- 5) PERFORATE LOWER SAN ANDRES @ 5440, 5412, 5396, 5372, 5360, 5342, 5330, 5316, 5302, 5293, 5263, 5332, 5224, 5215, 5201, 5183, 5162, 5122, 5092, 5053, 5039 WITH TWO SHOTS PER FT.
- 6) ACIDIZE W/ 25,000 GAL 15% NEFE HCL FOLLOWED BY 1,500 BW TO ESTABLISH INJECTION RATES.
- 7) TOH PICK UP INJECTION TUBING & PACKER
- 8) TIH W/SAME SET PACKER @ 4350FT. (APPROXIMATELY !!) FT. ABOVE PERF.) +4350FT.
- 9) INJECTION INTERVAL 4464 - 5950

SWD-730

I hereby certify that the information above is true and complete to the best of my knowledge and belief

SIGNATURE

TITLE PRES

DATE 4-12-99

TYPE OR PRINT NAME CLAY L WILSON

505 885-3996

TELEPHONE NO.

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:



NEW MEXICO ENERGY, MINERALS
& NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131

June 3, 1999

Mr. Clay Wilson, President
Mesquite SWD, Inc.
PO Box 481
Carlsbad, NM 88220

Re: **\$5,000 One Well-Plugging Bond**
Mesquite SWD, Inc., Principal
RLI Insurance Company, Surety
CBM #1 SWD - 467' FSL and 467' FEL
Section 24, Township 19 South,
Range 37 East, Lea County
Bond No. RLB0000931

Dear Mr. Wilson:

The New Mexico Oil Conservation Division hereby approves the above-captioned one-well plugging bond.

Sincerely,

RAND CARROLL,
Legal Counsel

RC/dp

cc: Oil Conservation Division - Hobbs, New Mexico

RLI Insurance Company
8 Greenway Plaza - Suite 400
Houston, TX 77046

Handwritten: 4/15/99

