

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other instructions on reverse side)

FOR APPROVED
OMB NO. 1004-0137
Expires: December 31, 1991

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input type="checkbox"/>	GAS WELL <input checked="" type="checkbox"/>	DRY <input type="checkbox"/>	Other _____		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other _____
2. NAME OF OPERATOR Read & Stevens, Inc.							
3. ADDRESS AND TELEPHONE NO. P. O. Box 1518, Roswell, New Mexico 88202-1518							
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface 1650' FSL & 1980' FEL At top prod. interval reported below At total depth							
14. PERMIT NO.				DATE ISSUED			
15. DATE SPUDDED 9-16-94							
16. DATE T.D. REACHED 10-26-94							
17. DATE COMPL. (Ready to prod.) 12-31-94							
18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* 3651' GR							
19. ELEV. CASINGHEAD							
20. TOTAL DEPTH, MD & TVD 13,860'		21. PLUG BACK T.D., MD & TVD 13,665'		22. IF MULTIPLE COMPL., HOW MANY*		23. INTERVALS DRILLED BY All	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* 13,164-13,508' Morrow						25. WAS DIRECTIONAL SURVEY MADE No	
26. TYPE ELECTRIC AND OTHER LOGS RUN GR-CNL-LDT, GR-DLL, GR-CBL-VDL						27. WAS WELL CORRED No	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE/GRADE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
13 3/8"		54#		1,577'		17 1/2"	
8 5/8"		32#		5,010'		11 "	
5 1/2"		17 & 20#		13,721'		7 7/8"	
29. LINER RECORD				30. TUBING RECORD			
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
2 3/8"		13,355'		13,355'		13,355'	
31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
13,432-13,434 5 shots				DEPTH INTERVAL (MD)			
13,504-13,508 9 shots				13,432-12,508'			
13,226-13,236 21 shots				AMOUNT AND KIND OF MATERIAL USED			
13,176-13,190 29 shots				500 gal 7 1/2% 24,000 gal 50/50 CO2			
13,164-13,169 11 shots				H2O w/10,000# 20/40 ISP			
13,164-13,169 11 shots				2000 gal 7 1/2% 31,600 gal 50/50			
13,164-13,169 11 shots				CO2 H2O w/44,200# 20/40 ISP			
33. PRODUCTION							
DATE FIRST PRODUCTION 12-31-94		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) Flowing				WELL STATUS (Producing or shut-in) Flowing	
DATE OF TEST 1-1-95		HOURS TESTED 24		CHOKE SIZE 5		GAS—MCF. 660	
FLOW. TUBING PRESS. 200		CASING PRESSURE Pkr		CALCULATED 24-HOUR RATE 5		WATER—BBL. 15	
DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) Sold		OIL—BBL. 5		GAS—MCF. 660		OIL GRAVITY-API (CORR.) 54.0	
LIST OF ATTACHMENTS Deviation Survey & 4 Point Pressure Test. Logs will be sent when we receive our corrected		TEST WITNESSED BY William Palmer		DATE January 9, 1995		TITLE Petroleum Engineer	
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED _____ TITLE _____ DATE _____							

(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
Morrow	12,970'	13,604'	Sand/Shale

38. GEOLOGIC MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
Yates		3,250
Seven Rivers		3,670
Delaware		5,390
Bone Spring		8,240'
Limestone		
First Bone		9,450'
Spring Sand		
Second Bone		9,980'
Spring Sand		
Third Bone		10,622'
Spring Sand		
Wolfcamp		10,920'
Strawn/Atoka		12,115'
Morrow Lime		12,672'
Morrow Clastics		12,970'