

Form 3160-5
(June 1990)

N.M. Oil Cons. Division
P.O. Box 1980
Hobbs, NM 88241
UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

<p>1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other</p> <p>2. Name of Operator Conoco, Inc.</p> <p>3. Address and Telephone No. 10 Desta Drive., Suite 100W, Midland, TX 79705-4500</p> <p>4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 930' FNL & 660' FEL Section 10, T-20S, R-36E</p>	<p>5. Lease Designation and Serial No. NM 1151</p> <p>6. If Indian, Allottee or Tribe Name</p> <p>7. If Unit or CA, Agreement Designation</p> <p>8. Well Name and No. Sanderson B1 #10</p> <p>9. API Well No. 30-025-3263000</p> <p>10. Field and Pool, or Exploratory Area Eumont Y-SR-Qn</p> <p>11. County or Parish, State Lea, NM</p>
--	---

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<p><input checked="" type="checkbox"/> Notice of Intent</p> <p><input type="checkbox"/> Subsequent Report</p> <p><input type="checkbox"/> Final Abandonment Notice</p>	<div style="display: flex; justify-content: space-between;"><div style="width: 60%;"><p><input checked="" type="checkbox"/> Abandonment</p><p><input type="checkbox"/> Recompletion</p><p><input type="checkbox"/> Plugging Back</p><p><input type="checkbox"/> Casing Repair</p><p><input type="checkbox"/> Altering Casing</p><p><input type="checkbox"/> Other _____</p></div><div style="width: 35%;"><p><input type="checkbox"/> Change of Plans</p><p><input type="checkbox"/> New Construction</p><p><input type="checkbox"/> Non-Routine Fracturing</p><p><input type="checkbox"/> Water Shut-Off</p><p><input type="checkbox"/> Conversion to Injection</p><p><input type="checkbox"/> Dispose Water</p></div></div> <p style="font-size: small;">(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)</p>

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1. Set a C.I.B.P. at 3260'.
2. Circulate hole with mud.
3. Spot 90 sxs cement 2400-3260'.
4. Spot 25 sxs cement 1100-1350'.
5. Spot 25 sxs cement 300-550'.
6. Spot 10 sxs cement surface plug.
7. Install dry hole marker. Clean location.

RECEIVED
JUN 12 A 9:50
BUREAU OF LAND MANAGEMENT
HOBBS OFFICE

14. I hereby certify that the foregoing is true and correct

Signed

(ORIG. SGD.) DAVID R. GLASS

Title Sr. Conservation Coordinator

Date 6/11/97

Approved by

Conditions of approval, if any:

Title

PETROLEUM ENGINEER


Date

JUN 18 1997

CURRENT WELLBORE

6/2/97

Elev. = 3592' GL +10' KB



454' - 8 5/8" Casing. Cemented w/380 sxs. Circulated.

PERFS 3357'-3645'


3750' - 5 1/2" CASING. CEMENTED W/750 SXS CIRCULATED.

CONOCO, INC.
SANDERSON B1 #10
930' FNL & 660' FEL
Sec. 10, T-20S, R-36E
Lea County, NM

PROPOSED PLUG AND ABANDONMENT

6/2/97

Elev. = 3592' GL +10' KB



SPOT 10 SXS CEMENT SURFACE PLUG

454' - 8 5/8" Casing. Cemented w/380 sxs. Circulated.

SPOT 25 SXS CEMENT 300'-550'

SPOT 25 SXS CEMENT 1100'-1350'

SPOT 90 SXS CEMENT 2400'-3260'

C.I.B.P. @ 3260'

PERFS 3357'-3645'

3750' - 5 1/2" CASING. CEMENTED W/750 SXS CIRCULATED.

CONOCO, INC.
SANDERSON B1 #10
930' FNL & 660' FNL
Sec. 10, T-20S, R-36E
Lea County, NM