

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO. 30-025- 32772 32722
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: State E
8. Well No. 6
9. Pool name or Wildcat Eumont Yates 7 Rvrs Qn (PG)
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3637'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
OXY USA WTP Limited Partnership 192463

3. Address of Operator
P.O. Box 50250 Midland, TX 79710-0250

4. Well Location
Unit Letter L(3) : 2145 feet from the south line and 495 feet from the west line
Section 30 Township 19S Range 37E NMPM County Lea

10. Elevation (Show whether DR, RKB, RT, GR, etc.)
3637'

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

TD-3750' PBD-3705' PERFS-3360-3599'

8-5/8" 24# csg @ 438' W/ 260sx, 12-1/4" hole, TOC-Surf-Circ
5-1/2" 15.5# csg @ 3750' W/ 875sx, 7-7/8" hole, TOC-Surf-Circ

1. RIH & set CIBP @ 3310', Dump 5sx cmt to 3275'
2. M&P 25sx cmt @ 2596-2496'
3. M&P 25sx cmt @ 1244-1144'
4. M&P 25sx cmt @ 488-388', TAG
5. M&P 10sx cmt surface plug
- 10# MLF between plugs

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 10/24/02

Type or print name David Stewart Telephone No. 915-685-5717

(This space for State use)

APPROVED BY David Stewart TITLE Sr. Regulatory Analyst DATE 10/24/02
Conditions of approval, if any:

OXY USA WTP LP
STATE E #6
Sec 30 T19S R37E


10sx Surface

25sx @ 488-388'

25sx @ 1244-1144'

25sx @ 2596-2496'

CIBP @ 3310' w/ 5sx



12-1/4" hole @ 438'
8-5/8" csg @ 3750'
w/ 260sx-TOC-SURF-CIRC

7-7/8" hole @ 3750'
5-1/2" csg @ 3750'
w/ 875sx-TOC-SURF-CIRC

3360-3599' - Perfs

PBTD-3705'
TD-3750'