

OPER. OGRID NO. 18417
PROPERTY NO. 1699
UNITED STATES DEPARTMENT OF THE BUREAU OF LAND MANAGEMENT
POOL CODE 37584
EFF. DATE 4/26/95
APPLICATION FOR PERMIT API NO. 30-025-32939

NS. COMMISSION
Budget Bureau No. 1004-0136
Expires: December 31, 1991
V MEXICO-88240

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

b. TYPE OF WELL

OIL WELL ☒

GAS WELL ☐

OTHER ☐

SINGLE ZONE ☐

MULTIPLE ZONE ☐

2. NAME OF OPERATOR

Read & Stevens, Inc.

505/622-3770

3. ADDRESS AND TELEPHONE NO.

P. O. Box 1518

Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements*)

At surface

2310' FNL & 1980' FEL

At proposed prod. zone

Same Unit G

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

30 miles SW of Hobbs, NM

15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT.

330'

18. DISTANCE FROM PROPOSED LOCATION* TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT.

1320'

16. NO. OF ACRES IN LEASE

282.4

19. PROPOSED DEPTH

8,400'

17. NO. OF ACRES ASSIGNED TO THIS WELL

40

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

3653'

22. APPROX. DATE WORK WILL START*

April 15, 1995

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8" J-55	54.5#	1600'	Circ 1000 sx Lite + 200 "C
11"	8 5/8" S-80	32.0#	5000'	Circ 1100 sx** see note
7 7/8"	5 1/2" N-80	17#	8400'	tieback w/500 or 975 sx *
Mud Program:		Mud Wt.	Vis.	W/L Control
0' - 1600': Fresh water native mud:		8.4 ppg	32	No W/L control
1600' - 5000': Brine mud:		10 ppg	28-32	No W/L control
5000' - 8400': Cut brine mud w/starch:		8.8 ppg	32-40	W/L control 15cc

BOP Program:

A 11" 5000 psi wp Shaffer Type LWS BOP, with a 5000 psi wp 11" GK Hydril, will installed on the 13 3/8" casing. Casing and BOP will be tested before drilling out with 11". BOP will be tested daily as a 3000 psi wp system.

* NOTE: If severe lost circulation is not encountered, hole will be reduced at 5000' to 7 7/8" and drill ahead WITHOUT setting the 8 5/8" casing.

** 8 5/8": Cement with DV tool in two stages starting at 3800':

1st stage: Lead 200 sx lite, tail in w/200 sx "C".

2nd stage: Lead 500 sx lite cement, tail w/200 sx "C". Cement to surface.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

Read & Stevens, Inc.

Agent for:

TITLE Read & Stevens, Inc.

March 6, 1995

DATE

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY

5/Gilbert J. Lucero

TITLE

Acting State Director

DATE

4-18-95

*See Instructions On Reverse Side

MEMORANDUM FOR THE RECORD
SUBJECT: [illegible]
DATE: [illegible]

[illegible]
[illegible]
[illegible]

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised February 10, 1994
Instruction on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-32939	Pool Code 37584	Pool Name Quail Ridge Delaware NE Lea
Property Code 16990	Property Name QUAIL FEDERAL	Well Number 1
OGRID No. 18917	Operator Name READ & STEVENS, INC.	Elevation 3653

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	3	20 S	34 E		2310	NORTH	1980	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

LOT 4 - 40.95 AC. Read & Stevens, Inc NM-84902	LOT 3 - 40.85 AC.	LOT 2 - 40.75 AC. 3653.9 3653.7 3650.7 3656.9 2310' 1980'	LOT 1 - 40.65 AC.
<p>OPERATOR CERTIFICATION</p> <p>I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief.</p> <p><i>George R. Smith</i> Signature George R. Smith Printed Name Agent for Read & Stevens, Inc. Title March 7, 1996 Date</p> <p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p>FEBRUARY 27, 1995</p> <p>Date Surveyed Signature & Seal of Professional Surveyor RONALD J. EIDSON W.O. Num. 95-11-0298 Certificate No. JOHN W. WEST, 676 RONALD J. EIDSON, 3739</p>			

RECEIVED

APR 24 1946

U.S. DEPARTMENT OF
OFFICE

APPLICATION FOR DRILLING
READ & STEVENS, INC.
Quail Federal, Well No. 1
2310' FNL & 1980' FEL, Sec. 3-T20S-R34E
Lea County, New Mexico
Lease No.: NM-84902
(Development Well)

In conjunction with Form 3160-3, Application for Permit to Drill subject well, Read & Stevens, Inc. submits the following items of pertinent information in accordance with BLM requirements:

1. The geologic surface formation is recent Permian with quaternary alluvium and other surficial deposits.

2. The estimated tops of geologic markers are as follows:

Rustler	1,580'	Bone Spring	8,250'
Top of Salt	1,770'	T.D.	8,400'
Base of Salt	3,120'		
Yates	3,200'		
7 Rivers	3,670'		
Delaware	5,200'		

3. The estimated depths at which water, oil or gas formations are anticipated to be encountered:

Water: Surface water in the Triassic between 80' - 230'.

Oil: Possible in the Delaware below 5500'.

Gas: None expected.

4. Proposed Casing Program: See Form 3160-3.

5. Proposed Control Equipment: See Form 3160-3 and Exhibit "E".

6. Mud Program: See Form 3160-3.

7. Auxiliary Equipment: Blowout Preventer, gas detector, Kelly cock, pit level monitor, flow sensors and stabbing valve.

8. Testing, Logging, and Coring Program:

Drill Stem Tests: None unless warranted.

Logging: T.D. to 5000':

G/R, CNL-FDC, DLL, MSFL

T.D. to surface:

G/R, neutron

Coring: None planned.

9. No abnormal pressures or temperatures are anticipated. In the event abnormal pressures are encountered the proposed mud program will be modified to increase the mud weight. Estimated BHP = 3300 psi (evac. hole) with temperature of 140°.

10. H₂S: None expected. None in previously drilled wells, but a Drilling Operations Plan, Exhibit "F", is being submitted to cover this contingency.

11. Anticipated starting date: April 15, 1995.

Anticipated completion of drilling operations: Approx. 3 weeks.



KEN REYNOLDS—PRESIDENT
ARNIE NEWKIRK—VICE-PRESIDENT

DRILLING CO., INC. — OIL WELL DRILLING CONTRACTORS

P. O. BOX 1498 ROBWELL, NEW MEXICO 88202-1498
505/623-5070 505/746-2710
ROBWELL, NM ARTESIA, NM

RIG # 1

BLOWOUT PREVENTOR ARRANGEMENT

11" SHAFFER TYPE LWS, 5000 psi WP
11" GK HYDRIL, 5000 psi WP
80 GALLON, 4 STATION PAYNE ACCUMULATOR
3000 psi WP CHOKE MANIFOLD




EXHIBIT "E"
READ & STEVENS, INC.
Quail Federal, Well No. 1
BOP Specifications

SP/ L. L.
SOS/ J. J.
J. J. J. J.
J. J. J. J.
J. J. J. J.

RECEIVED

1955

OFFICE