Form 3160-5 (August 1999)

determined that the site is ready for final inspection.)

## UN D STATES DEPARTME... OF THE INTERIOR BUREAU OF LAND MANAGEMENT

ال .M.N	Cons. EDIVISION 30, 2000
1625 N.	French Dr. NM 6-964194 NM 1882 House or Tribe Name
Hobbs,	Mr Indian Allonee or Tribe Name

FORM APPROVED

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use Form 3160-3 (APD) for such proposals

SUBMIT IN TRIPLICATE - Other instructions on reverse side					7. If Unit or CA/Agreement, Name and/or No	
. Type of Well	_					
🚨 Oil Well 🔲 Gas Well 🔲 Other					8. Well Name and No.  Truman Federal #1	
2. Name of Operator						
Read & Stevens, I	nc.			9. API V	Vell No.	
Address		3b. Phone No. (include area code)			30-025-33043	
P. O. Box 1518		Roswell, NM 88202 505/622-3770		10. Field	and Pool, or Exploratory Area	
Location of Well (Footage, Sec., T., R., M., or Survey Description)					<u>lea</u> Delaware	
1650' FSL & 330' Section 4 T20S-R3	7 '			11. Count	y or Parish, State	
5000 T 1205 10	12					
					County	
12. CHECK AF	PPROPRIATE BOX(ES) TO	O INDICATE NATU	RE OF NOTICE			
12. CHECK AF	PROPRIATE BOX(ES) To	- "	RE OF NOTICE			
TYPE OF SUBMISSION	PPROPRIATE BOX(ES) To	- "	PE OF ACTION			
TYPE OF SUBMISSION		TY	PE OF ACTION	, REPORT, C	OR OTHER DATA  Water Shut-Off	
TYPE OF SUBMISSION  Notice of Intent	<b>▼</b> Acidize	TY Deepen	PE OF ACTION  Production (5)	, REPORT, C	DR OTHER DATA	
TYPE OF SUBMISSION  Notice of Intent	Acidize Alter Casing	TY  Deepen Fracture Treat	PE OF ACTION  Production (S  Reclamation  Recomplete	, REPORT, C	OR OTHER DATA  Water Shut-Off Well Integrity	
TYPE OF SUBMISSION  Notice of Intent  Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	PE OF ACTION  Production (S) Reclamation Recomplete Temporarily Water Dispose	, REPORT, C Start/Resume) Abandon sal	OR OTHER DATA  Water Shut-Off Well Integrity	

11/2000 MIRUPU. Perforate 7,520'-24', 7,266'-68', and 7,272'-76'. Total of 43 holes. Acidize 7,520'-24' w/ 1,000 gal of 15% NEFe, swab, show of oil. Move pkr and plug, acidize 7,266'-68' and 7,272'-76' w/ 1,000 gal of 15% NEFe. Swab, show of oil. Perforate 5,800'-10' and 5,702'-12'. Total of 82 holes. Acidize perfs 5,800'-10' and 5,702'-12' w/ 2,000 gal of 15% NEFe. Frac perfs w/ 80,000# of 16/30 Ottawa sand pumped in 2,4, and 6 lbs stages, average rate 40 BPM. Flow and swab load back, no oil show. Run rods & tbg and set tbg @ 8,004'. Hang well on pump. After recovering load well pumped 0 BO, 205 BW, 0 MCF in 24 hrs.

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)								
John C. Maxey, Jr.			tle Operations Manager					
Signature May	Date		9-13-	-01				
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by		Title		ACCEPTED FOR RECORD				
Conditions of approval, if any, are attached. Approval of this notice does not warra certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	ant or lease	Office		SEP 2 5 2001				
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for an States any false, fictitious or fraudulent statements or representations as to any matter w	y perso vithin it	on knowi s jurisdic	ngly and	willfully to make to any department or agency of the United				
			L	ALEXIS C. SWOBODA PETROLEUM ENGINEER				

RECEIVED.

18 - 19