

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION
PO Box 2088
Santa Fe, NM 87504-2088

Form C-101
Revised February 10, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 6 Copies
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

Operator Name and Address: AMERADA HESS CORPORATION P.O. BOX 2040 HOUSTON, TEXAS 77252		ATTN: ONSHORE DRILLING SERVICES	OGRID Number 000495
Property Code 99	Property Name M.E. GAITHER		API Number 30-025-33191
			Well No. 6

7 Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
J	34	19S	36E		1880	SOUTH	1980	EAST	LEA

8 Proposed Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

Proposed Pool 1	Proposed Pool 2
MONUMENT/ABO 4975	

Work Type Code N	Well Type Code O	Cable/Rotary R	Lease Type Code P	Ground Level Elevation 3612'
Multiple NO	Proposed Depth 8100'	Formation ABO	Contractor MCGEE DRILLING CORP	Spud Date DEC. 1, 1995

21 Proposed Casing and Cement Program

Hole Size	Casing Size	Casing weight/foot	Setting Depth	Sacks of Cement	Estimated TOC
14-3/4"	11-3/4"	42#	300'	340	SURFACE
11"	8-5/8"	28#	4600'	641	-11-
7-7/8"	5-1/2"	15.5#	8100'	436	600

Describe the proposed program. If this application is to DEEPEN or PLUG BACK give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.

DRILL 14-3/4" HOLE TO 400' AND SET 300' OF 42# 11-3/4" SURFACE CASING. CEMENT W/340 SX AND CIRCULATE TO SURFACE.

DRILL 11" HOLE TO 4600' AND SET 4600' OF 28# 8-5/8" INTERMEDIATE CASING. CEMENT W/641 SX AND CIRCULATE TO SURFACE.

DRILL 7-7/8" HOLE TO 8000' AND SET 8000' OF 15.50# 5-1/2" PRODUCTION CASING. CEMENT W/436 SX TO 6000'.

I hereby certify that the information given above is true and complete to the best of my knowledge and belief.

Signature: HUGHES NGOMBE

Printed name:
HUGHES NGOMBE

Title:
DRILLING ENGINEER

Date:
11-22-95

Phone:
713-609-4846

OIL CONSERVATION DIVISION

Approved by: ORIGINAL SIGNED BY JERRY SEXTON

Title: DISTRICT I SUPERVISOR

Approval Date: NOV 21 1995 Expiration Date:

Conditions of Approval:
Attached ☐

Permit Expires 6 Months From Approval
Date Unless Drilling Underway.

8

