District I PO Box980, Hobbs, NM 88241-1980					ate of New nerals & Natural F	V Mexico Resources Department			Form Revised February 10			
District II O Drawer DD, Artesia, NM 88211-0719 District III 000 Rio Brazos Rd., Aztec, NM 87410 District IV					PO Box 2	ΓΙΟΝ DIVISION 2088 87504-2088		Sub	Instructions on Submit to Appropriate District O State Lease - 6 Co Fee Lease - 5 Co			
District IV PO Box 2088, San	nta Fe, NM	87504-2088									DED REPOR	
APPLICA	TION	FOR PE	RMIT	TO DRI	LL, RE-EN	ITER, DEI	EPEN	, PLUGB	ACK,	OR A	DD A ZON	
· · · · · · · · · · · · · · · · · · ·				Operator Na	ame and Address.					10	GRID Number	
		MEWBOUR	NE OII	COMPA	COMPANY					14744		
		P. O. B	lox 527	5270, Hobbs, New Mexico 8824				241 30			* API Number) - 025-33226	
Property Code				⁴ Property Name							• Well No.	
191	14:3		Ει	mont "	29" Willia		1				1	
		.		.	⁷ Surface	Location						
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South	1	feet from the	East/V	Vest line	County	
0	29	19S	37E	<u> </u>	860	South		1800	Eas	t	Lea	
177	R ₁ - 4				Hole Locat							
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South	lide F	feet from the	East/W	Vest line	County	
		* Propos	ed Pool 1	L	1		I	" Propos	ed Pool 2	2	I	
Eumont Y	ates S	<u>even Ri</u>	<u>vers (</u>)ueen (Pro_Gas)						·····	
"Work Type Code "We				e Code	¹³ Cable	le/Rotary " Lease Type Co			de "Grouad Level Elevatioa			
N		G			Rotary		Р			3591'		
1º Multiple		17 Proposed Depth			" Formation		¹¹ Contractor		²⁸ Spud Date			
					Queen		Unk	known		Jan.	15, 1996	
j	No		<u>3,800'</u>									
	No				ed Casing a	nd Cement	t Prog	ram				
Hole Si	20	Casia	21 ng Size	Propos		Setting D	epth	Sacks of		_	Estimated TOC	
Hole Si 12 1/4	20 11	Casia 8 5	21 ng Size / 8''	Propos Casi 24#	ed Casing a	Setting D 400' +/	epth /	Sacks of 250 sks	• "C'	' c:	ircualted	
Hole Si	20 11	Casia	21 ng Size / 8''	Propos	ed Casing a	Setting D	epth /	Sacks of	• "C'	' c:		
Hole Si 12 1/4	20 11	Casia 8 5	21 ng Size / 8''	Propos Casi 24#	ed Casing a	Setting D 400' +/	epth /	Sacks of 250 sks	• "C'	' c:	ircualted	
Hole Si 12 1/4 7 7/8 Describe the g	JC 11 11 propesed pr	Casia 8 5 4 1	21 ng Size / 8'' / 2'' is applicati	Propos 24# 10.1	ed Casing a ng weight/foot 5# PEN or PLUG BA	Setting D 400' +/ 3,800' CK give the data	epth /_ +/-	Sacks of 250 sks 500 sks	• "C'	' c: ' C:	ircualted irculate	
Hole Si 12 1/4 7 7/8 Describe the g	2e 11 11 propased pr the blowou	Casia 8 5 4 1 rogram. If th t prevention p	21 ag Size / 8'' / 2'' is application program, if	Propos Casi 24# 10.	ed Casing a ng weight/foot 5#	Setting D 400' +/ 3,800' CK give the data secessary.	epth /_ +/-	Sacks of 250 sks 500 sks	. "C' . "C'	' C: ' C:	irculate irculate	
Hole Si 12 1/4 7 7/8 Describe the g 200e. Describe	2e 11 11 propased pr the blowou	Casia 8 5 4 1 regram. If the t prevention p Schaff	21 ag Size / 8'' / 2'' is application program, if er LWS	Propos Casi 24# 10.1	ed Casing a ng weight/foot 5# PEN or PLUG BA iditional sheets if	Setting D 400' +/ 3,800' CK give the data secondary. double-ra	epth /_ +/-	Sacks of 250 sks 500 sks	. "C' . "C'	' C: ' C:	irculate irculate	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe	ze 11 11 propased pr the blowou GRAM:	Casia 8 5 4 1 Vogram. If the t prevention p Schaff surfac 0' - 4 400' +	21 ng Size /8" /2" is applications program, if er LWS e casi 00'+/- /- to contr	Propos Casil 24# 10.1 asy. Use ac or equ .ng to 1 : Fre 3, 800'-	ed Casing a mg weight/foot 5# PEN or PLUG BA iditional abcets if a nivalent (total dept esh water +/-: Brin	Setting D 400' +/ 3,800' CK give the data measury. double-ra h. with spud e water w - 10.0#,	epth /- +/- am hyd am hyd d mud, vith p , wate	Sacks of 250 sks 500 sks draulic draulic) paper f paper for	. "C' . "C' . "C' 	' c: ' C: END Proposed Series CM if mas need htrol;	ircualted irculate d acw productive from needed. eded. Lime viscosity	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe BOP PROC MUD PROG	ze '' proposed pr the blowou GRAM: RAM:	Casia 8 5 4 1 vogram. If the prevention p Schaff surfac 0' - 4 400' + for pH 28 - 3	21 ag Size / 8'' / 2'' is applications programs, if er LWS e casi 00'+/ /- to contr 2.	Propos Casil 24# 10.1	ed Casing a mg weight/foot 5# PEN or PLUG BA Mitional abeets if a uivalent (total dept esh water H/-: Brin eight 9.6#	Setting D 400' +/ 3,800' CK give the data cccasary. double-ra h. with spuce e water w - 10.0#, GAS I	epth /- +/- am hyd am hyd d mud, vith p , wate S NOT	Sacks of 250 sks 500 sks 500 sks draulic draulic) paper for er loss n DEDICAT	. "C' . "C' . "C' . "C' 	' c: ' C: md propose series CM if r as nee ntrol;	ircualted irculate d acw productive from needed. eded. Lime viscosity	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe BOP PROC MUD PROG	ze '' proposed pr the blowous GRAM: RAM: 1 for y that the in	Casia 8 5 4 1 regram. If the t prevention p Schaff surfac 0' - 4 400' + for pH 28 - 3 drillin formation give	21 ag Size / 8'' / 2'' is applications program, if er LWS e casi 00'+/ /- to contr 2. g only	Propos 24# 10.: 25 25 25 25 25 25 25 25 25 25	ed Casing a ng weight/foot 5# PEN or PLUG BA iditional abcets if a uivalent (total dept esh water H/-: Brin eight 9.6# NOT be pro	Setting D 400' +/ 3,800' CK give the data secessary. double-ra h. with spud e water w - 10.0#, GAS I duced unt	epth /- +/- am hyd am hyd d mud, vith p , wate IS NOT cil No	Sacks of 250 sks 500 sks 500 sks draulic draulic) paper for er loss n DEDICAT	. "C' . "C' . "C' 	' C: ' C: Bd propose Series CM if r as nee htrol; Coratic	irculate irculate d acw productive from needed. eded. Lime viscosity	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe BOP PROC MUD PROG MUD PROG MUD PROG ************************************	ze '' proposed pr the blowous GRAM: RAM: 1 for y that the in	Casia 8 5 4 1 regram. If the t prevention p Schaff surfac 0' - 4 400' + for pH 28 - 3 drillin formation give	21 ag Size / 8'' / 2'' is applications program, if er LWS e casi 00'+/ /- to contr 2. g only	Proposi Casil 24# 10.1 10.1 10.1 10.1 10.1 10.1 10.1 10.	ed Casing a mg weight/foot 5# PEN or PLUG BA iditional absets if a uivalent (total dept esh water H/-: Brin eight 9.6# NOT be pro idee to the best	Setting D 400' +/ 3,800' CK give the data ECK give the data CK give the data C	epth /- +/- a on the p am hyd am hyd d mud, vith p , wate CS NOT til No L CON RIGIN/	Sacks of 250 sks 500 sks 500 sks 500 sks 100 100 100 100 100 100 100 100 100 10	. "C' . "C' . "C' . "C' 	' c: ' C: bd propose series CM if r as nee ntrol; coratic DIVISI	irculate irculate d acw productive from needed. eded. Lime viscosity on is appro ON	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe BOP PROC MUD PROC MUD PROC MUD PROC MUD PROC MUD PROC MUD PROC MUD PROC Prova	ze '' proposed pr the blowous GRAM: RAM: 1 for y that the in	Casia 8 5 4 1 rogram. If the t prevention of the surfac 0' - 4 400' + for pH 28 - 3 drillin formation give	21 ng Size /8" /2" is applications program, if er LWS e casi 00'+/- /- to contr 2. g only maker is 1	Proposi Casil 24# 10.1 10.1 10.1 10.1 10.1 10.1 10.1 10.	ed Casing a mg weight/foot 5# PEN or PLUG BA Midiuonal sheets if a uivalent (total dept esh water H/-: Brin eight 9.6# NOT be pro MOT be pro	Setting D 400' +/ 3,800' CK give the data seccessary. double-ra h. with spud e water w - 10.0#, GAS I duced unt OII pproved by: O	epth /- +/- a on the p am hyd am hyd	Sacks of 250 sks 500 sks 500 sks draulic draulic) paper for er loss n DEDICAT on-Standa	. "C' . "C' . "C' . "C' 	' c: ' C: bd propose series CM if r as nee ntrol; coratic DIVISI	irculate irculate d acw productive from needed. eded. Lime viscosity on is appro ON	
Hole Si 12 1/4 7 7/8 Describe the g zone. Describe BOP PROC MUD PROG MUD PROG MUD PROG MUD PROG Signature: Printed name: Title:	ze '' propased pr the blowou GRAM: GRAM: 1 for y that the in and balief. Bill Pi	Casia 8 5 4 1 rogram. If the t prevention of the surfac 0' - 4 400' + for pH 28 - 3 drillin formation give	21 ng Size /8" /2" is applications program, if er LWS e casi 00'+/ /- to contr 2. g only nabove is to Leave	Proposi Casil 24# 10.1 10.1 10.1 10.1 10.1 10.1 10.1 10.	ed Casing a mg weight/foot 5# PEN or PLUG BA Midiuonal sheets if a uivalent (total dept esh water H/-: Brin eight 9.6# NOT be pro MOT be pro	Setting D 400' +/ 3,800' CK give the data seccessary. double-ra h. with spud e water w - 10.0#, GAS I duced unt OII pproved by: O	epth /- +/- a on the p am hyd am hyd	Sacks of 250 sks 500 sks 500 sks research fraulic) paper for er loss n DEDICAT on-Standa NSERVAT AL SIGNED I NSTRICT I SI	. "C' . "C' . "C' . "C' 	' c: ' C: bd proposed series CM if r as nee ntrol; coratic DIVISI	irculate irculate d acw productive from needed. eded. Lime viscosity on is appro ON	

Permit Expires 6 Months round Partie Date Unless Drilling Underway.

E

C-101 Instructions

Measurements and dimensions are to be in feet/inches. We postions will refer to the New Mexico Principal Meridian.

IF THIS IS AN AMENDED REPORT CHECK THE BOX LABLED "AMENDED REPORT" AT THE TOP OF THIS DOCUMENT.

- 3 Operator's OGRID number. If you do not have one it will be assigned and filled in by the District office.
- 2 Operator's name and address
- 3 API number of this well. If this is a new drill the OCD will assign the number and fill this is.
- 4 Property code. If this is a new property the OCD will assign the number and fill it in.
- 5 Property name that used to be called 'well name'
- 6 The number of this well on the property.
- 7 The surveyed location of this well New Mexico Principal Meridian NOTE: If the United States government survey designates a Lot Number for this location use that number in the 'UL or lot no.' box. Otherwise use the OCD Unit Letter.
- 8 The proposed bottom hole location of this well at TD

9 and 10 The proposed pool(s) to which this well is beeing drilled.

- 11 Work type code from the following table:
 - N New well
 - E Re-entry
 - D Drill deeper
 - P Plugback
 - A Add a zone
- 12 Well type code from the following table:
 - O Single oil completion
 - G Single gas completion
 - M Mutiple completion
 - I Injection well S SWD well
 - W Water supply well
 - C Carbon dioxids wall
- 13 Cable or rotary drilling code
 - C Propose to cable tool drill
 - P. Propose to rotary drill
- 14 Lease type code from the following table:
 - F Federal
 - S State
 - P Private
 - N Navajo
 - J Jicarilla
 - U Ute
 - I Other Indian tribe
- 15 Ground level elevation above sea level
- 16 Intend to mutiple complete? Yes or No
- 17 Proposed total depth of this weight & 1 334

- 18 Geologic formation at TD
- 19 Name of the intended drilling company if known.
- 20 Anticipated spud date.
- 21 Proposed hole size ID inches, proposed casing OD inches, casing weight in pounds per foot, setting depth of the casing or depth and top of liner, proposed commenting volume, and estimated top of comment
- 22 Brief description of the proposed drilling program and BOP program. Attach additional sheets if necessary.
- 23 The signature, printed name, and title of the person authorized to make this report. The date this report was signed and the telephone number to call for questions about this report.

